



# PASTURE WEED CONTROL



CODE	Synergy 2,4-D Amine 720	Synergy 2,4-D Ester 680	2,4-DB	Aminopyralid, Metsulfuron Methyl	Bentazone	Dalapon	Void	Crusader	Bandit/Banvel	Asulam	Mecoprop, Dichlorprop, MCPA	Flumetsulam, Bentazone	Claw	Synergy Flumet 800	Synergy Tribenuron 750	Synergy MCPA 750	Synergy MCPB/MCPA	Soft touch	Triumph Gold	Synergy Brushkiller	Propyzamide	Quasar	Fluproprate	Dichloropropionic	Synergy Thifen 750	Aminopyralid	Aminopyralid, Triclopyr	MCPB, MCPA, Flumetsulam	Clopyralid 600
PASTURE WEEDS																													
Alligator Weed		C							C																				
Allseed		C																											
Amaranthus spp.	N										C		C																
Apple of Peru		C																											
Austrian flax		C																											
Bachelors button		C																											
Barberry		N																											
Barley grass						C							C									C		C					
Barnyard grass						C							A																
Bathurst bur		C								C						C		C											C
Beggars ticks		C																											
Bindwind -Field		C	Ca						C	C								C											
Bindwind - Greater		C							C																				
Bitter cress		C																											
Black medick									C																				
Black nightshade	C	C		C					C	C	C	A	C			C	Ca					C						a	
Blackberry																					C								
Bladder campion										A																			
Blue wheat grass						C																							
Boxthorn																													
Bristle grass													C																
Brome spp.																						C		C					
Broom																													C
Browntop		N				C																C		C					
Buddleia																													
Buffalo grass		N				C																							
Bur medick		C																											
Burdock		C																											
Buttercups	C	C	a							N	C		C			C	C	C	P			C			C			C	
Calandrinia	C									C																			
Californian poppy		C																											
Canadian fleabane		C																											
Canary grass		N																											
Cape daisy							C																						C
Cape tulip		C																											
Cape weed		a		C					C																		C		
Castor oil plant		C																											
Catsear	C	C					C		C	A						C				C									C
Cereals		N																											
Chamomiles	P	N		C					C	A	C					N	N					C							
Charlock		C								C													C						
Chewings fescue		N			C																								
Chickweed	N	N		C					C	C	C	C	C	C	C	N	N			C		C	C					a	
Chicory		C																											
Chilean needle grass																								C					
Cleavers	N	N		C					C	C	C	C	C	N	N	N						C						a	
Clovers		C					C		C	C													N						C
Cocksfoot		N			C																								
Combind	P	C	a						C	C		A					Ca						C						a
Couch		N				C																C							
Crab grass		N																											
Creeping bent						C																							
Creeping fog						C																							
Mallow - creeping		a																											
Cress	C	C	a								C							C											C
Crested dogstail		N				C																							
Cudweed		C																											
Geranium - cut-leaved		a							C								C												
Daisy		a					C			C							C	N		C									C
Dandelion	C	C				C			C	A	C					C	N		C			N		N					
Dock - seedlings	C	C	C							C	C	C				C	C		C			A							C
Dock - regrowth	P								C	C	C						N		C						C	C			
Dove's foot		C							C																				
Fathen	C	C	a		C				C	C	C	A	C	C	C	C	C	C				C							a
Fennel		a		C					C																				
Cress - field		C																											
Field madder											C												C						
Field pansy										A	C			Pa									N						a

CODE	Synergy 2,4-D Amine 720		Synergy 2,4-D Ester 680		2,4-DB	Aminopyralid, Metsulfuron Methyl	Bentazone	Dalapon	Void	Crusader	Bandit/Banvel	Asulam	Mecoprop, Dichlorprop, MCPA	Flumetsulam, Bentazone	Claw	Synergy Flumet 800	Synergy Tribenuron 750	Synergy MCPA 750	Synergy MCPB/MCPA	Soft touch	Triumph Gold	Synergy Brushkiller	Propyzamide	Quasar	Fluproprate	Dichloropropionic	Synergy Thifen 750	Aminopyralid	Aminopyralid, Triclopyr	MCPB, MCPA, Flumetsulam	Clopyralid 600	
PASTURE WEEDS																																
Fireweed		a							C	C																					C	
Fleabane												A																			a	
Floating sweet grass		N					C																									
Fox glove		C																														
Fumitory	P	a								N		C	C				C						A									
Galinsoga												A	N										C									
Buttercup - giant						C							C		A			C	Ca							C	C			a		
Goats rue		C				C				C																		C				
Gorse						C																	C								c	
Groundsel		C										N		N																		
Hairy nightshade							C																									
Hawkbit		C							C	C		A	C					C					C		N						C	
Hawksbeard		C							C			C													N						C	
Hawkweed		C																														
Hedge mustard	C	C	C								C	C		C		C		C	Ca	C				C						a		
Hemlock		a				C			C	C																		C			c	
Hemp nettle		C								C		A																			c	
Henbit												A	C		Pa									N							a	
Himalayan honeysuckle																																
Hoary cress		C																C														
Horehound		C				C																							C			
Hydrocotyle	N	N																														
Indian doab		N					C																	N								
Inkweed		a				C					C		C											C							C	
Johnson grass		N																														
Kangaroo grass																										C						
Kentucky bluegrass							C																	C								
Kikuyu		N					C																	N								
Lotus																															C	
Lupin		a							C																						C	
Mallows										C			C		C		C														a	
Marsh cress		C																														
Mayweeds												A																				
Medics																																c
Mercer grass		N																														
Mexican devil weed		C																														
Mint		C																														
Monkey musk		C																														
Morning glory													C																			
Chickweed - mouse-ear											C	C																				
Nassella tussock								A																		C						
Nettles	C	C	a									C		A				C	Ca	C	C	C		C							a	
Nipplewort											C																					
Old man's beard									C																							C
Onehunga weeds		a				C			C	C				C																		C
Onion twitch							C																									
Oxalis spp.	N	N																														
Oxyeye daisy									C				C		Pa																a	C
Oxtongue		C																														
Pale willow weed												A																				
Pampas/ Toetoe		N																														
Parsley dropwort		A																														
Parsley Piert	N	N																														
Paspalum		N					A																	N								
Pearlwort	N	N								C		C																				
Penny cress		C										A													C							
Pennyroyal											C																					
Piripiri		C																														
Plantains	C	C	a						C			C						C	C	C	C							N			a	C
Poa spp.		N					C							C											C			C				
Poplars		C																														
Poroporo		C																														
Potato - self set																																
Prairie grass		N																														
Prostrate amaranth	N	N									C																					
Purua grass		N																														
Ragwort	a	C	a	C					C	C									C	N	C	C	C					N	C			C
Ratstail		N																														

CODE	Synergy 2,4-D Amine 720	Synergy 2,4-D Ester 680	2,4-DB	Aminopyralid, Metsulfuron Methyl	Bentazone	Delapone	Void	Crusader	Bandit/Banvel	Asulam	Mecoprop, Dichlorprop, MCPA	Flumetsulam, Bentazone	Claw	Synergy Flumet 800	Synergy Tribenuron 750	Synergy MCPA 750	Synergy MCPB/MCPA	Soft touch	Triumph Gold	Synergy Brushkiller	Propyzamide	Quasar	Fluproprate	Dichloropropionic	Synergy Thifen 750	Aminopyralid	Aminopyralid, Triclopyr	MCPB, MCPA, Flumetsulam	Clopyralid 600		
Raupo	N					A																									
Rautahi (cutty grass)	N																														
Red dead-nettle	C									A		N																			
Redroot	C	a		C				C		C		C		A	C	Ca	C					C							a		
Reed sweet grass																															
Meadowgrass - rough-stalked	N																					C									
Rushes	C																N														
Ryegrass	N					C							N									C									
Scarlet pimpernel														C									C								
Selfheal	C							C												P											
Sheep's sorrel	N	N						C		C		C	Aa						C		C	N							a		
Shepherds purse	C	C	a	C				C		C	C	A	C	C	C		C		C		C	C							a		
Soft brome	N					C																C									
Spanish heath	C																														
Speedwells									N	A	C	A		N	N	N							N								
Spiny emex								C																							
Spurrey	P	a		C				C		C	C	C	C	C	N	N						C	C						a		
Stinking mayweed	N	N		C				C			C		Aa			N	N						C						a		
Storksbill		a		C						C	C												C						a		
Summer grass						C							C																		
Sweet brier																					C										
Sweet vernal	N					C																C									
Tall fescue	N					C																									
Tansy	C																														
Teasel	C																														
Thistles - Californian	P	C		C			C	C		C				C	C	C	C	C	C	C	N				N	C		C	C		
Thistles - Nodding	C	C	a	C	C		C			C	C						C	Ca	C	C	C	N			N				a		
Thistles - Scotch	C	C	a	C			C							C	C	C					C	C	N	C		N	C		C		
Thistles - Sow	C	C	a	C			C		C			C									C	C	N	C		N	C		a	C	
Thistles - Star		C		C																						N					
Thistles - Variegated	C	C		C												C	Ca				C	C	N	C		N			a		
Thistles - Welsted		C		C												C									N				a		
Thistles - Winged	C	C	a	C			C			C						C	Ca	C			C	C	N	C		N	C		a		
Thorn apple					A				C		A	C											C								
Timothy		N				C																									
Toad rush						C																									
Trefoil																															
Tussock						C																									
Tutu		a																				C									
Twin cress		C								A	C			A	C	Ca					C			C						a	
Vetch (tares)		C							C							N															
Vipers bugloss		a																													
Vulpia hairgrass						C																	C								
Wart cress		C																													
Water cress																C															
Water pepper			a																												
White mustard		C								C																					
Wild carrot		C							C																						
Wild mustard		C																													
Wild oats		N						C					A		N																
Wild onion									C																						
Wild Parsnip		C																													
Wild Portulaca		a								C		C																			
Wild radish		C								C	C	N	C										C								a
Wild turnip	C	C	a		C					C	C					C	Ca	C					C							a	
Willow weed	P	C	a					C		C	C	A	Pa	C	C	Ca	C						C							a	
Willows		A																													
Wineberry		C																													
Winter cress																															
Wireweed	P		a					C		C	C	A	Aa	A	N	Ca							A							a	
Witchgrass						C																									
Woolly mullein					C																	C					C				
Yarrow	P						C	C		N						N				P		N	N							C	
Yellow gromwell										N	C		C																	C	
Yorkshire fog		N				C																C			C						



PRODUCT	PACK SIZE	*COMPETITIVE BRANDS
<b>Synergy™ 2,4-D Amine 720</b> Active ingredient: 720 g/l 2,4-D as the diethanolamine and dimethylamine salts in the form of a soluble concentrate. Controls Wide range of weeds in new and mature pasture. Non Volatile – Low Odour.	20L 200L	Baton® Sprinter® Ammo®Max
<b>Synergy™ 2,4-D Ester 680</b> Active ingredient: 680 g/litre 2,4-D as the ethylhexyl ester in the form of an emulsifiable concentrate. Controls most species of thistles, buttercup and many other flatweeds in pasture.	20L 200L	Pasture Kleen®Xtra Relay™ Super S Thistle Killern™ Ultra
<b>Void™ Herbicide</b> Active ingredient: 300 g/l clopyralid. A selective herbicide for control of broadleaf weeds in a range of crops, turf, forestry and pre-cultivation.	1L (6) 5L (4) 20L	Versatill® Archer®
<b>Crusader™ Herbicide</b> Active ingredient: 200 g/l flupropr-M-isopropyl. A selective herbicide for the control of wild oats in wheat, barley and ryegrass seed crops.	20L	Stratos®
<b>Bandit® Herbicide</b> Active ingredient: 480 g/litre dicamba as the dimethylamine salt in the form of a soluble concentrate. A selective herbicide for control of certain hard to kill broadleaf weeds in conservation tillage programs and in cereals, maize, some forage brassicas, waste areas and spot treatment in pastures.	5L (4) 20L 200L	Kamba® Cutlass®
<b>Banvel® Herbicide</b> Active ingredient: 200 g/l dicamba. Used post-emergent for the control of broadleaf weeds in maize and cereals.	5L (4) 20L 200L	Kamba® Cutlass®
<b>Claw™ Herbicide</b> Active ingredient: 500 g/l ethofumesate. A selective herbicide for the control of barley grass and annual grass weeds in pasture and sports turf.	20L	Nortron® Ethosat®
<b>Synergy™ Flumet 800</b> Active ingredient: 800 g/kg flumetsulam in the form of a water dispersible granule. Controls buttercup, giant buttercup, chickweed, black nightshade, mallow, fathen etc.	500gm (4)	Preside® Valdo™ Blast™
<b>Synergy™ Tribenuron 750</b> Active ingredient: 750 g/kg tribenuron-methyl in the form of a water dispersible granule. Controls certain broadleaf weeds in conservation tillage for new pasture.	500gm (4)	Granstar® Sero® Tillmate™
<b>Synergy™ MCPA 750</b> Active ingredient: 750 g/l MCPA as the dimethylamine salt in the form of an soluble concentrate. Controls bathurst bur, black nightshade, burdock, buttercups, catsear, creeping mallow, daisy, dandelion, thistles (Californian, nodding, Scotch, sow, welted, winged, variegated), tiger weed (beggars ticks), twin cress, wild turnip and more.	20L 200L	Agritone® 750 Maestro™ Orion MCPA 750
<b>Synergy™ MCPB/MCPA</b> Active ingredient: 375 g/l MCPB and 25 g/litre MCPA as the sodium salts in the form of a soluble concentrate. Controls broadleaf weeds in pasture grass and white clover seed crops, peas and cereals.	20L 200L	Select® Thistrol® Plus Tandem™
<b>Soft Touch™ Herbicide</b> Active ingredient: 385 g/l MCPB. For control of a wide range of broadleaf weeds in pasture and cereal crops.	20L	Nufarm MCPB 400
<b>Triumph™ Gold Herbicide</b> Active ingredient: 50 g/l picloram and 100 g/l triclopyr. For the control of ragwort, docks, inkweed, lupin and many other herbaceous broadleaf weeds.	1L (6) 5L (4) 20L	Tordon® Gold Victory™ Gold
<b>Synergy™ Brushkiller</b> Active ingredient: 100 g/l picloram as the amine salt and 300 g/litre triclopyr as the butoxy ethyl ester in the form of an emulsifiable concentrate. Controls a wide range of brushweeds.	20L	Tordon®XT Conquest® Triumph™ Brushkiller
<b>Quasar™ Herbicide</b> Active ingredient: 200 g/l bentazone and 200 g/l MCPB. A selective post-emergence herbicide for use in cereals, clover, new and established pasture and peas.	20L	Pulsar®
<b>Synergy™ Thifen 750</b> Active ingredient: 750 g/kg thifensulfuron-methyl. A selective herbicide for the control of buttercups and docks in pasture, wheat, barley and oats and in conservation tillage programs.	500gm (4)	Harmony® Chord™ Charter™

\*Competitive brands are competitor products with similar uses on similar crops. These products may differ in other respects e.g. active ingredient formulation, price, efficacy, etc.

[www.orionagriscience.co.nz](http://www.orionagriscience.co.nz)

For more information contact Orion AgriScience Ltd. Freephone: 0800 674 6627

™Synergy, Void, Crusader, Claw, Soft Touch, Triumph and Quasar are Trade Marks Orion AgriScience Ltd.  
 © Bandit are Registered Trade Marks Orion AgriScience Ltd. © Banvel is a Registered Trade Mark of a Syngenta Group Company  
 Registered pursuant to the ACVM Act 1997, No's P8290, P8289, P5937, P8381, P7163, P1125, P5693, P8357, P8379, P8291, P8288, P4861, P7536, P8286, P8615, P8292. Approved Pursuant to the HSNQ Act 1996, No's HSR00787/8, HSR00962, HSR00760, HSR10062, HSR000442, HSR000440, HSR000626, HSR000458, HSR000234, HSR000381, HSR000726, HSR000416, HSR000555, HSR000553, HSR000374, HSR000236  
 See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions. See [epa.govt.nz](http://epa.govt.nz) for approval conditions.

