


orion AGRISCIENCE



WARNING FOR ANIMAL TREATMENT ONLY

CyguardTM

SPRAY-ON

FOR SHEEP

Ready to use spray-on sheep dip for the preventative control of blowfly strike on sheep.

Active ingredient: 60 g/L Cyromazine

SHAKE WELL BEFORE USE



PLEASE READ THE LABEL COMPLETELY BEFORE USE

PRECAUTIONS

Avoid contact with skin and eyes.
Wash hands and exposed skin before meals and after work.

WITHHOLDING PERIODS

It is an offence for users of this product to cause residues exceeding the relevant MRL in the New Zealand (Maximum Residue Limits of Agricultural Compounds) Food Standards.

Meat: sheep producing meat or offal for human consumption must not be sold for slaughter either during treatment or within 21 days of cessation of the last treatment.

Milk: Milk intended for sale for human consumption must be discarded during treatment for not less than 35 days following the last treatment.

WOOL RESIDUES

Ensure the time between dipping and subsequent shearing is at least two months, except in the case of spot treatment of flystrike. For advice on your dipping programme contact your supplier.

ACTIVE INGREDIENT

CYGUARD™ SPRAY-ON contains 60g/litre Cyromazine in the form of an aqueous concentrate.

GENERAL INFORMATION

CYGUARD SPRAY-ON is an easy to use spray-on, which will give up to 6 weeks residual protection against flystrike caused by all the commonly found strike flies including the Australian blowfly (*Lucilia cuprina*).

CYGUARD SPRAY-ON can be used on all breeds of sheep.

CYGUARD SPRAY-ON is suitable for use on sheep between 4 and 12 weeks after shearing. A shorter period of protection may occur if CYGUARD SPRAY-ON is applied incorrectly, if there is excessive fleece soiling or if wool infections such as mycotic dermatitis (fleece rot) are present. Prolonged heavy rain following treatment may also reduce the protection period provided by CYGUARD SPRAY-ON.

DIRECTIONS FOR USE

By law the user must take due care, obtaining expert advice when necessary, to avoid unnecessary pain and distress when using the product other than as directed on the label.

Apply CYGUARD SPRAY-ON through a suitable clean applicator gun. The product should be sprayed on in bands with the gun held 20cm above the wool during application. CYGUARD SPRAY-ON should be applied onto those areas where maximum protection against flystrike is required.

CYGUARD SPRAY-ON applied between the rump and shoulders should be sprayed on in even bands as shown. The product sprayed onto the rump should be applied in an arc over the area shown. The dose rate and number of bands to be applied are shown in the table.

Batch No:

Expiry Date:

CYGUARD SPRAY-ON

Note: The dose volume applied should be based on the weight of the heaviest sheep in the mob.

APPLICATION AND DOSE RATE OF CYGUARD SPRAY-ON FOR THE PROTECTION OF ALL THE COMMONLY STRUCK AREAS OF THE SHEEP

Liveweight kg	2 bands sheep between 11-20kg		3 bands sheep between 21-40kg		4 bands sheep between 41-70kg		
	11-15	16-20	21-30	31-40	41-50	51-60	61-70
No. of bands	2	2	3	3	4	4	5
Volume per band (mL)	7.5	10	10	13.3	12.5	15	14
Total vol applied (mL)	15	20	30	40	50	60	70
Sheep treated per 10L	666	500	333	250	200	166	142

Application and dose rate of CYGUARD SPRAY-ON at docking for the prevention of flystrike Apply between 5mL and 10mL over the crutch ensuring that sufficient product to cover the area to be protected is applied.

STORAGE

Store in original container, tightly closed, away from direct sunlight, in a cool, dry place, avoiding temperatures below 0°C and above 35°C.

DISPOSAL OF CONTAINER

Do not reuse empty container but burn or flatten and bury in a suitable landfill or if appropriate recycle.

WARRANTY

The manufacturer of this animal remedy extends/grants to the purchaser a warranty that this animal remedy is reasonably fit for the purposes for which its use is recommended, provided that the purchaser uses the remedy only for the purposes for which it is recommended him and strictly in accordance with the directions on this container.

Registered pursuant to the ACVM Act 1997, No. A11136

See www.foodsafety.govt.nz for registration conditions

™CYGUARD is a Trade Mark of Orion AgriScience Ltd

Registered to WSD Agribusiness Pty Ltd

NZ Agent: Orion AgriScience Ltd

Unit 1, 15 Sir Gil Simpson Drive

Harewood, Christchurch 8053

