

### 1: Identification of the Substance and Supplier

Product Name ORION MCPA 750

Recommended Use Herbicide

**Suppliers Details** Orion AgriScience Ltd

Unit 1, 15 Sir Gil Simpson Drive, Harewood, Christchurch, 8053

PO Box 39 071, Harewood, Christchurch, 8545

Web Addresswww.orionagriscience.co.nzEmail Addressorders@orionagriscience.co.nz

**Telephone Number** (03) 928 2386 (office hours), 0800 674 6627 (free phone)

 Emergency Telephone
 0800 CHEMCALL (0800 243 622) (24 hours)

 National Poison Centre
 0800 POISON (0800 764 766) (24 hours)

Date of Issue/Revision March 2025

### 2: Hazards Identification

**Hazard Pictograms** 

#### Signal Words

### Hazard Classes:

Acute Toxicity (Oral Cat. 4)

Specific target organ toxicity (repeated exposure) (Cat. 2)

Serious Eye Damage (Cat. 1)

Hazardous to the aquatic environment acute (Cat. 1)

Hazardous to the aquatic environment chronic (Cat. 1)

Hazardous to soil organisms

Hazardous to terrestrial vertebrates

### **Precautionary Statements:**

Prevention

### Danger

#### **Hazard Statements:**

H302 Harmful if swallowed

H373 May cause damage to organs through prolonged or repeated exposure

H318 Causes serious eye damage

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

H421 Very toxic to the soil environment

H432 Toxic to terrestrial vertebrates

P101 If medical advice is needed, have product container or label at hand

P102 Keep out of reach of children

P103 Read carefully and follow all instructions

P264 Wash hands thoroughly after handling

P270 Do not eat, drink or smoke when using this product

P260 Do not breathe dust/fume/gas/mist/vapours/spray

P273 Avoid release to the environment

 ${\tt P280~Wear~protective~gloves/protective~clothing/eye~protection} \\$ 

Avoid contact with eyes and skin. Do not breathe in the spray mist. When mixing or applying, wear personal protection as described in section 8. Take all reasonable steps to ensure that this product does not cause any significant adverse effects to the environment beyond the application area. Do not apply directly into or onto water.

P301+P312 IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell

P330 Rinse mouth

P314 Get medical advice/attention if you feel unwell

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses if present and easy to do. Continue rinsing

P310 Immediately call a POISON CENTRE/doctor

P391 Collect spillage

Response



First aid measures described in section 4. Contain and collect spillage for disposal. In an emergency call 111, Police or Fire Brigade. For specialist advice in an emergency only,

call 0800 CHEMCALL (0800 243 6225) (24 hrs).

Storage Keep out of reach of children

Disposal P501 Dispose of contents by using it in accordance with this label. Dispose of the

container via AgRecovery after triple rinsing (use the rinsate for spraying).

3: Composition/ Information on Ingredients

Ingredient CAS No Content (% w/v)

MCPA dimethylamine (active ingredient) 2039-46-5 75

Other ingredients Proprietary Remainder

### 4: First Aid Measures

If medical advice is needed, have product container or label at hand. If exposed or concerned, get medical advice. For advice call the National

Poisons Centre or a Doctor

Ingestion: Rinse mouth. Call a POISON CENTRE/doctor if you feel unwell

**Skin Contact:** Wash with plenty of soap and water. Seek medical advice if irritation occurs.

**Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if easy to do so. Continue rinsing.

Seek medical advice immediately

Inhalation: Remove to fresh air and keep at rest in a position comfortable for breathing. Seek medical advice if feeling

unwell

Workplace Facilities: Hand wash facility. Eye wash facility

Advice to Doctor: No specific antidote. Treat symptomatically

National Poison Centre 0800 POISON (0800 764 766) (24 hours)

Symptoms of Exposure which could occur if this material is not handled in accordance with instructions:

**Ingestion:** Nausea, vomiting, abdominal pain, weakness, unconsciousness

**Skin Contact:** No data available

**Eye Contact:** Irritation and serious eye damage

**Inhalation:** Headache, nausea

### 5: Fire-Fighting Measures

Fire/Explosion Hazard Non-Flammable

HAZCHEM Code 3Z ERP Guide No 47

**Extinguishing Media** Water spray, foam, dry chemical or C02. Avoid water jet.

Fire Fighting Instructions During a fire, toxic fumes may be emitted. Wear self-contained breathing apparatus. Contain runoff.

Specific Hazards Arising from Fire No data available

#### **6: Accidental Release Measures**

Personal Precautions Caution: Floors may be slippery if wet. Wear personal protective clothing and equipment as described in

section 8. Exclude non-essential people from the area.

**Environmental Precautions** Prevent further spillage or leakage. Prevent material from entering drains, waterways, etc.

**Clean Up**Absorb spillage with inert material such as spill kit, sand or cat litter. Collect and place in a sealable

container for disposal. Wash down affected area with water and detergent. Absorb and collect washings for

disposal. Dispose of safely to a suitable landfill.

### 7: Handling and Storage

**Storage:** Keep out of reach of children. Store in the original tightly closed container in a secure area.

Page: 2 of 6



Handling and Use:

Keep out of reach of children. Refer to Prevention statements in section 2 above. Keep people and animals

away from the area while spraying and for the duration of the REI.

REI Until spray has dried

### 8: Exposure Controls / Personal Protection

Tolerable Exposure Limit

None established

Workplace Exposure Standards

None established

**Engineering Controls**Select spray application equipment to minimize exposure to operator and bystanders

**Personal Protection:** 

The following Standards provide general advice regarding safety clothing and equipment: Respiratory equipment: AS/NZS 1715, Protective Gloves: AS 2161, Occupational Protective Clothing: AS/NZS 4501, Industrial Eye Protection: AS1336 and AS/NZS 1337, Occupational

Protective Footwear: AS/NZS2210.

**Eye** Safety glasses/goggles (or full face respirator incorporating visor) when mixing or applying

**Skin**Cotton overalls snugly fitting at the neck, wrist and ankle, boots and waterproof gloves when mixing and

applying

**Respiratory** Not required where spray mist is not inhaled. Otherwise, respirator (organic vapour and particulate matter)

is required.

Clean protective equipment after use

### 9: Physical and Chemical Properties

Appearance Amber Liquid
Odour Amine like
Odour Threshold Does not apply
pH 8 - 10

 Melting Point/Freezing Point
 < 0°C</td>

 Boiling Point
 > 100°C

 Flash Point
 Does not apply

 Flammability
 Not flammable

 Upper/Lower Flammability Limits
 Does not apply

 Vapour Pressure
 Does not apply

 Vapour Density
 Does not apply

 Relative Density
 1.18 g/mL (approx.)

**Solubility in Water** Soluble

Partition Coefficient: n-octanol/waterSee section 12Auto ignition TemperatureDoes not applyDecomposition TemperatureDoes not applyKinematic ViscosityDoes not applyParticle characteristicsDoes not apply

### 10: Stability and Reactivity

**Stability** Stable under normal conditions

Hazardous ReactionsNone ExpectedIncompatibilityNone KnownHazardous Decomposition ProductsNone Known

### 11: Toxicological Information

This section describes effects which could occur if this material is not handled in accordance with this data sheet and label instructions

Acute Oral Toxicity LD50 > 300 mg/kg
Acute Dermal Toxicity LD50 > 5000 mg/kg

Page: 3 of 6



**Acute Inhalation Toxicity** LD50 > 5 mg/L

Skin corrosion/irritation Information not available

Irritation and serious eye damage Serious eye damage/Eye irritation

Respiratory or skin sensitisation Information not available Information not available Germ cell mutagenicity Carcinogenicity Information not available Information not available **Reproductive Toxicity** 

Specific Organ Toxicity - Single Information not available

exposure

Specific Organ Toxicity - Repeated

exposure

Aspiration hazard Information not available

### 12: Ecological Information

This section describes effects which could occur if this material is not handled in accordance with this data sheet and label instructions

### The following information is presented in respect of the active ingredient:

**Ecotoxicity** Acute Oral LD50 (Bobwhite quail) 377 mg/kg

LC50 (96 hr) (Rainbow trout) 232 mg/l

EC50 (Algae) > 392 mg/l

Non - toxic to bees

Persistence/degradability Biodegradable. DT50 (soil) 24 days

**Bioaccumulative Potential** Octanol-water partition coefficient LogP = -0.81 (low) Soil Mobility

Soil organic carbon water partitioning coefficient No data available

**Environmental Exposure Limit:** None established

### 13: Disposal Considerations

**Product** Dispose of product by using it in accordance with the label. Waste product should be disposed of to a

suitable landfill. For disposal of large quantities contact Orion AgriScience Ltd.

Ingestion at high doses is damaging to liver, kidney and alimentary system

Dispose of to a suitable landfill or via AgRecovery. Do not burn. Do not use packaging for any other Container

purpose.

### **14: Transport Information**

SDS review date 20 March 2025

**Dangerous Goods** 

**UN Number** 3082

**Proper Shipping Name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (MCPA DIMETHYLAMINE 92%)

Class

**Subsidiary Class** None **Packing Group** Ш

**Additional Information** MARINE POLLUTANT

MTQ (Non-Commercial) 1000 litres **Passenger Service Vehicle** No restriction

### 15 Regulatory Information

**EPA Approval No** HSR000381 P7812 **ACVM Registration No** 

Page: 4 of 6



Qualified PersonRequiredCertified HandlerNot required

Workplace Only No

and HSWHS Regs:

**Tracking** Not required

**Record Keeping**Not required (unless > 3 L applied within 24 hours, and which is likely to leave the application area)

Site Requirements under EPA Notice

• A hazardous substance location compliance certificate is not required

A hazardous area is not required

• Separation distances for class 3 and class 6 substances to protected places and public places is not applicable

Permitted Daily Exposure - A daily dose below which no adverse effects are expected over a lifetime of

• Fire extinguishers are not required

• Signage is required for more than 100 litres

• An emergency response plan is required for more than 100 litres

• Secondary containment is required for more than 100 litres

• Segregation from incompatible substances is not required

Additional Requirements Refer to NZS 8409:2004 'Management of Agrichemicals', and relevant local and regional council plans

16: Other Information	
SDS review date	20 March 2025
Glossary	
ADE	Acceptable Daily Exposure – A daily dose, received via any route, below which no adverse effects are
	expected over a lifetime of exposure
ACVM	Agricultural Compounds and Veterinary Medicines group of the Ministry of Primary Industries
Cat.	GHS category
Ceiling	A concentration that should not be exceeded at any time during any part of the working day
Certified Handler	A qualification issued by a Compliance Certifier to handle and use particularly toxic substances (6.1A and
	6.1B)
DT50	Time (days) for 50% reduction in concentration
EC50	Concentration required to produce an effect in 50% of organisms
<b>Environmental Exposure Limit</b>	Maximum concentration limit of a substance in an environmental medium, e.g., water, soil.
EPA Notice	Hazardous Property Controls Notice 2017
ERP Guide	Dangerous Goods – Initial Emergency Response Guide SNZ HB 76:2008
GHS	Globally harmonized system of classification and labelling of chemicals
<b>Hazardous Substance Location</b>	For locations storing hazard substances of certain classes above threshold quantities
Compliance Certificate	
Hazardous Area	A designated area designed for the presence of flammable substances - Refer AS/NZS 60079.10.1:2009
HAZCHEM Code	Emergency action code for emergency services
HSWHS Regs	Health and Safety at Work (Hazardous Substances) Regulations 2017
LC50	Concentration that will kill 50% of organisms
LD50	Dose that will kill 50% or organisms
MTQ	Maximum Transport Quantity. The maximum amount of dangerous goods that can be transported by road
	by the user
Notification	Advance notice given to neighbours and other affected parties, of details of proposed application, and
	other details as described
Octanol-Water Partition Coefficient	The partition coefficient of a substance between n-octanol and water, used as the Logarithm base 10
	form, as an indicator that a substance may bioaccumulate

exposure

Page: 5 of 6

PDE



**Protected Place** Residential properties, schools, hospitals, kindys, factories, shops, warehouses, etc., and other places where

people assemble

Public Place A place frequented by the public, including roads (does not include private property)

**Qualified Person** A requirement for the loader, contractor or person applying the product to hold a qualification such as a

GROWSAFE Certificate, Unit Standard 21563, etc.

**Record Keeping** Includes a spray diary or other record of application

REI Restricted Entry Interval – The length of time after application before entry into the treated area is

permitted without the use of protective equipment. For indoor environments, this time period commences

once ventilation after treatment begins.

**Segregation** Certain classes of substances must not be in contact with, and must be stored separately from, certain

other classes as specified in HSWHS Regs

Separation Distances The distances specified in Part 11 and Part 13 of HSWHS Regs between storage and/or use of hazardous

substances and protected places and/or public places

**Signage** Positioned at entrances to commercial premises providing information on the hazardous substances

present

Soil Adsorption Coefficient (Kd)

The ratio of the concentrations of a substance adsorbed onto a solid sorbent to that dissolved in a liquid

phase. The higher the value the less mobile the chemical is in soil

Soil Organic Carbon-Water

The ratio of the mass of a chemical that is adsorbed in the soil per unit mass of organic carbon in the

Partitioning Coefficient (Koc) soil. The higher the value the less mobile the chemical is in soil

STEL Short term exposure level – 15 minute time weighted average

**Tolerable Exposure Limit**Maximum concentration limit of a substance above which persons must not be exposed

**Tracking** For some particularly hazardous substances, a record must be kept of the transport, storage, sale and use

of the product

TWA Time weighted average calculated over an 8 hour working day

Workplace Exposure Standard An occupational health standard limiting concentrations of specified substances to which persons are

exposed

**Workplace Only**A product that is restricted to a workplace only and under the supervision of a certified handler

Please Note

Users must ensure that the most up to date version of this safety data sheet is used.

This Safety Data Sheet summarises information on this product, and how to safely handle and use the product. Each user should familiarise themselves with the product label and Safety Data Sheet, and consider the information in the context of how the product will be handled and used, including in conjunction with other products. Orion AgriScience Ltd assumes no responsibility for the accuracy, completeness or suitability of this information. The user is responsible for determining the suitability and accuracy of this information for their particular purposes.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Page: 6 of 6