

### 1: Identification of the Substance and Supplier

<b>Product Name</b>	<b>PRO-P</b>
<b>Recommended Use</b>	Fungicide
<b>Suppliers Details</b>	Orion AgriScience Ltd Unit 1, 15 Sir Gil Simpson Drive, Harewood, Christchurch, 8053 PO Box 39 071, Harewood, Christchurch, 8545
<b>Web Address</b>	www.orionagriscience.co.nz
<b>Email Address</b>	orders@orionagriscience.co.nz
<b>Telephone Number</b>	(03) 928 2386 (office hours), 0800 674 6627 (free phone)
<b>Emergency Telephone</b>	0800 CHEMCALL (0800 243 622) (24 hours)
<b>National Poison Centre</b>	0800 POISON (0800 764 766) (24 hours)
<b>Date of Issue/Revision</b>	May 2021

### 2: Hazards Identification

#### Hazard Pictograms



#### Signal Words

##### Hazard Classes:

- 3.1B Flammable Liquid (Cat. 2)
- 6.1D Acute Toxicity (Dermal Cat. 4)
- 6.1D Acute Toxicity (Inhalation Cat. 4)
- 6.3A Skin Irritation (Cat. 2)
- 6.4A Eye Irritation (Cat. 2)
- 6.8B Reproductive Toxicity (Cat. 2)
- 6.9B Target Organ Systemic Toxicity (Oral Cat. 2)
- 6.9B Target Organ Systemic Toxicity (Inhalation Cat. 2)
- 9.1A Aquatic Ecotoxicity (Cat. 1)
- 9.3C Terrestrial Vertebrate Ecotoxicity

##### Precautionary Statements:

Prevention

#### Danger

##### Hazard Statements:

- H225 Highly flammable liquid and vapour
  - H312 Harmful if in contact with skin
  - H332 Harmful if inhaled
  - H315 Causes skin irritation
  - H319 Causes serious eye irritation
  - H361 Suspected of damaging fertility or the unborn child
  - H373 May cause damage to organs through prolonged or repeated exposure
  - H410 Very toxic to aquatic organisms with long lasting effects
- Harmful to terrestrial vertebrates
- P101 If medical advice is needed, have product container or label at hand
  - P102 Keep out of reach of children
  - P103 Read carefully and follow all instructions
  - P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
  - P233 Keep container tightly closed
  - P240 Ground and bond container and receiving equipment
  - P241 Use explosion proof electrical/ventilating/lighting equipment
  - P242 Use non sparking tools
  - P243 Take action to prevent static discharges
  - P280 Wear protective gloves/protective clothing/eye protection/face protection
  - P261 Avoid breathing dust/fume/gas/mist/vapours/spray
  - P271 Use only outdoors or in a well ventilated area
  - P264 Wash hands thoroughly after handling
  - P203 Obtain, read and follow all safety instructions before use
  - P260 Do not breathe dust/fume/gas/mist/vapours/spray

Response	<p>Explosive concentrations of vapours may form in enclosed or poorly ventilated areas. Avoid contact with eyes and skin. Do not breathe in the vapour or spray mist. When mixing or applying, wear personal protection as described in section 8. Take off contaminated clothing and wash before reuse. Take all reasonable steps to ensure that this product does not cause any significant adverse effects to the environment beyond the application area. Do not apply directly into or onto water.</p> <p>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water (or shower)</p> <p>P370+P378 In case of fire use water spray, foam, dry chemical or CO2 to extinguish. Avoid water jet</p> <p>P301+P317 IF SWALLOWED: Get medical help</p> <p>P330 Rinse mouth</p> <p>P304+P340 IF INHALED: Move person to fresh air and keep comfortable for breathing</p> <p>P317 Get medical help</p> <p>P302+P352 IF ON SKIN: Wash with plenty water</p> <p>P321 Specific treatment (Refer to section 4)</p> <p>P332+P317 If skin irritation occurs: Get medical help</p> <p>P362+P364 Take off contaminated clothing and wash it before reuse</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing</p> <p>P337+P317 If eye irritation persists: Get medical help</p> <p>P318 If exposed or concerned, get medical advice</p> <p>P319 Get medical help if you feel unwell</p> <p>P391 Collect spillage</p> <p>First aid measures described in section 4. Fire extinguishing instructions described in section 5. Contain and collect spillage for disposal. In an emergency call 111, Police or Fire Brigade. For specialist advice in an emergency only, call 0800 CHEMCALL (0800 243 6225) 24 hrs</p>
Storage	<p>P403+P235 Store in a well ventilated place. Keep cool</p> <p>P405 Store locked up</p> <p>Keep out of reach of children</p>
Disposal	<p>P501 Dispose of contents by using it in accordance with this label. Dispose of the container via AgRecovery after triple rinsing (use the rinsate for spraying).</p>

### 3: Composition/ Information on Ingredients

Ingredient	CAS No	Content (% w/v)
Propiconazole (active ingredient)	60207-90-1	25
Toluene	108-88-3	30 - 60
Other ingredients	Proprietary	Remainder

### 4: First Aid Measures

If medical advice is needed, have product container or label at hand. If exposed or concerned, get medical advice. For advice call the National Poisons Centre or a Doctor.

<b>Ingestion:</b>	Rinse mouth. Seek medical advice
<b>Skin Contact:</b>	Wash with plenty of soap and water. Seek medical advice if irritation occurs
<b>Eye Contact:</b>	Rinse cautiously with water for several minutes. Remove contact lenses, if easy to do so. Continue rinsing. Seek medical advice if irritation persists.
<b>Inhalation:</b>	Remove to fresh air and keep at rest in a position comfortable for breathing. Seek medical advice if feeling unwell.
<b>Workplace Facilities:</b>	Hand wash facility. Eye wash facility

<b>Advice to Doctor:</b>	No specific antidote. Treat symptomatically
<b>National Poison Centre</b>	0800 POISON (0800 764 766) (24 hours)
Symptoms of Exposure which could occur if this material is not handled in accordance with instructions:	
<b>Ingestion:</b>	Burning sensation. abdominal pain. headache. nausea. dizziness
<b>Skin Contact:</b>	Irritation
<b>Eye Contact:</b>	Irritation
<b>Inhalation:</b>	Cough, sore throat, dizziness, drowsiness, headache, nausea, unconsciousness

### 5: Fire-Fighting Measures

<b>Fire/Explosion Hazard</b>	Flammable liquid and vapour.
<b>HAZCHEM Code</b>	3YE
<b>ERP Guide No</b>	14
<b>Extinguishing Media</b>	Water spray, foam, dry chemical or CO2. Avoid water jet.
<b>Fire Fighting Instructions</b>	During a fire, toxic fumes may be emitted. Wear self-contained breathing apparatus. Contain runoff.
<b>Specific Hazards Arising from Fire</b>	No data available

### 6: Accidental Release Measures

<b>Personal Precautions</b>	Caution: Floors may be slippery if wet. Eliminate all ignition sources and naked lights. Use non-sparking equipment. Leave and/or avoid entering confined spaces. Wear personal protective clothing and equipment as described in section 8. Respiratory protection (with organic vapour cartridge) required for any spill other than minor. Exclude non-essential people from the area.
<b>Environmental Precautions</b>	Prevent further spillage or leakage. Prevent material from entering drains, waterways, etc.
<b>Clean Up</b>	Absorb spillage with inert material such as spill kit, sand or cat litter. Collect and place in a sealable container for disposal. Wash down affected area with water and detergent. Absorb and collect washings for disposal. Dispose of safely to a suitable landfill.

### 7: Handling and Storage

<b>Storage:</b>	Keep out of reach of children. Store in the original tightly closed container in a cool, well ventilated, locked and secure area.
<b>Handling and Use:</b>	Refer to Prevention statements in section 2 above. Exclude people and animals from the application area, both during application and for the duration of the REI.
<b>REI</b>	Until spray has dried

### 8: Exposure Controls / Personal Protection

<b>Tolerable Exposure Limit</b>	None established
<b>Workplace Exposure Standards</b>	Toluene – 50 ppm / 188 mg/m <sup>3</sup> (8hr TWA)
<b>Engineering Controls</b>	Select spray application equipment to minimize exposure to operator and bystanders
<b>Personal Protection:</b>	
<b>Eye</b>	Safety glasses/goggles (or full face respirator incorporating visor) when mixing or applying
<b>Skin</b>	Chemical resistant coveralls with hood tightly fitting at head, wrists and ankles (e.g., Tychem F suit), chemical resistant boots and chemical resistant gloves (barrier multilayer, nitrile, neoprene, butyl).
<b>Respiratory</b>	Not required where vapour or spray mist is not inhaled. Otherwise, respirator (organic vapour and particulate matter) is required.

Clean protective equipment after use

### 9: Physical and Chemical Properties

<b>Appearance</b>	Amber Liquid
<b>Odour</b>	Solvent
<b>Odour Threshold</b>	No data available

pH	Not Applicable
Melting Point/Freezing Point	No data available
Boiling Point	No data available
Flash Point	11°C (closed cup)
Flammability	Flammable liquid and vapour. May form explosive mixture in enclosed or poorly ventilated areas
Upper/Lower Flammability Limits	No data available
Vapour Pressure	No data available
Vapour Density	> 1 (heavier than air)
Relative Density	0.95 g/mL (approx.)
Solubility in Water	Emulsifiable
Partition Coefficient: n-octanol/water	See section 12
Auto ignition Temperature	No data available
Decomposition Temperature	No data available
Kinematic Viscosity	No data available

### 10: Stability and Reactivity

Stability	Stable under normal conditions
Hazardous Reactions	None Expected
Incompatibility	None Known
Hazardous Decomposition Products	None Known

### 11: Toxicological Information

This section describes effects which could occur if this material is not handled in accordance with this data sheet and label instructions

Acute Oral Toxicity	LD50 > 300 mg/kg
Acute Dermal Toxicity	LD50 > 5000 mg/kg
Acute Inhalation Toxicity	LD50 > 1 mg/L
Skin Irritant/Corrosive	Irritant
Eye Irritant/Corrosive	Irritant
Sensitisation Effects	None
Mutagenic Effects	None
Carcinogenic Effects	None
Reproductive Effects	Toluene is a suspected human reproductive or developmental toxicant
Specific Organ Toxicity	Ingestion or inhalation of toluene vapour has effects on the central nervous system. Animal feeding studies on propiconazole have found effects on the liver

### 12: Ecological Information

This section describes effects which could occur if this material is not handled in accordance with this data sheet and label instructions

The following information is presented in respect of the active ingredient:

	<ul style="list-style-type: none"> <li>Acute Oral LD50 (Japanese quail) 2223 mg/kg</li> <li>LC50 (96 hr) (Rainbow trout) 5.3 mg/l</li> <li>EC50 (48 hr) (Daphnia) 4.8 mg/l</li> <li>Algae EC50 0.02 – 13.6 mg/l</li> <li>Non-toxic to bees</li> </ul>
Persistence/degradability	Biodegradable. DT50 (soil) 71 days (typical)
Bioaccumulative Potential	Octanol-water partition coefficient LogP = 3.72 (high)
Soil Mobility	Soil organic carbon water partitioning coefficient Koc = 1086 (slightly mobile)
Environmental Exposure Limit:	None established

### 13: Disposal Considerations

<b>Product</b>	Dispose of product by using it in accordance with the label. Waste product should be disposed of to a suitable landfill. For disposal of large quantities contact Orion AgriScience Ltd.
<b>Container</b>	Dispose of to a suitable landfill or via AgRecovery. Do not burn. Do not use packaging for any other purpose.

### 14: Transport Information

<b>Dangerous Goods</b>	
<b>UN Number</b>	1993
<b>Proper Shipping Name</b>	FLAMMABLE LIQUID, N.O.S. (TOLUENE 60%)
<b>Class</b>	3
<b>Subsidiary Class</b>	None
<b>Packing Group</b>	II
<b>Additional Information</b>	MARINE POLLUTANT
<b>MTQ (Non-Commercial)</b>	250 litres
<b>Passenger Service Vehicle</b>	1 litre maximum

### 15 Regulatory Information

<b>EPA Approval No</b>	HSR000601
<b>ACVM Registration No</b>	P5987
<b>Qualified Person</b>	Required
<b>Certified Handler</b>	Not required
<b>Workplace Only</b>	No
<b>Tracking</b>	Not required
<b>Record Keeping</b>	Not required (unless > 3 L applied within 24 hours, and which is likely to leave the application area)
<b>Site Requirements under EPA Notice and HSWHS Regs:</b>	<ul style="list-style-type: none"> <li>• A hazardous substance location compliance certificate is required for more than 100 L (closed containers &gt; 5 L size), 250 L (closed containers ≤ 5 L size), or 50 L (open containers)</li> <li>• A hazardous area is required</li> <li>• Separation distances for class 3 and class 6 substances to protected places and public places is applicable</li> <li>• Fire extinguishers are required for more than 250 L (2 fire extinguishers)</li> <li>• Signage is required for more than 100 L</li> <li>• An emergency response plan is required for more than 100 L</li> <li>• Secondary containment is required for more than 100 L</li> <li>• Segregation from incompatible substances (classes 1, 2, 3.2, 4 and 5) is required</li> </ul>
<b>Additional Requirements</b>	Refer to NZS 8409:2004 'Management of Agrichemicals', and relevant local and regional council plans

### 16: Other Information

<b>Glossary</b>	
<b>ADE</b>	Acceptable Daily Exposure – A daily dose, received via any route, below which no adverse effects are expected over a lifetime of exposure
<b>ACVM</b>	Agricultural Compounds and Veterinary Medicines group of the Ministry of Primary Industries
<b>Cat.</b>	GHS category
<b>Ceiling</b>	A concentration that should not be exceeded at any time during any part of the working day
<b>Certified Handler</b>	A qualification issued by a Compliance Certifier to handle and use particularly toxic substances (6.1A and 6.1B)
<b>DT50</b>	Time (days) for 50% reduction in concentration
<b>EC50</b>	Concentration required to produce an effect in 50% of organisms

<b>Environmental Exposure Limit</b>	Maximum concentration limit of a substance in an environmental medium, e.g., water, soil.
<b>EPA Notice</b>	Hazardous Property Controls Notice 2017
<b>ERP Guide</b>	Dangerous Goods – Initial Emergency Response Guide SNZ HB 76:2008
<b>GHS</b>	Globally harmonized system of classification and labelling of chemicals
<b>Hazardous Substance Location</b>	For locations storing hazard substances of certain classes above threshold quantities
<b>Compliance Certificate</b>	
<b>Hazardous Area</b>	A designated area designed for the presence of flammable substances - Refer AS/NZS 60079.10.1:2009
<b>HAZCHEM Code</b>	Emergency action code for emergency services
<b>HSWHS Regs</b>	Health and Safety at Work (Hazardous Substances) Regulations 2017
<b>LC50</b>	Concentration that will kill 50% of organisms
<b>LD50</b>	Dose that will kill 50% of organisms
<b>MTQ</b>	Maximum Transport Quantity. The maximum amount of dangerous goods that can be transported by road by the user
<b>Notification</b>	Advance notice given to neighbours and other affected parties, of details of proposed application, and other details as described
<b>Octanol-Water Partition Coefficient</b>	The partition coefficient of a substance between n-octanol and water, used as the Logarithm base 10 form, as an indicator that a substance may bioaccumulate
<b>Protected Place</b>	Residential properties, schools, hospitals, kindys, factories, shops, warehouses, etc., and other places where people assemble
<b>Public Place</b>	A place frequented by the public, including roads (does not include private property)
<b>Qualified Person</b>	A requirement for the loader, contractor or person applying the product to hold a qualification such as a GROWSAFE Certificate, Unit Standard 21563, etc.
<b>Record Keeping</b>	Includes a spray diary or other record of application
<b>REI</b>	Restricted Entry Interval – The length of time after application before entry into the treated area is permitted without the use of protective equipment. For indoor environments, this time period commences once ventilation after treatment begins.
<b>Segregation</b>	Certain classes of substances must not be in contact with, and must be stored separately from, certain other classes as specified in HSWHS Regs
<b>Separation Distances</b>	The distances specified in Part 11 and Part 13 of HSWHS Regs between storage and/or use of hazardous substances and protected places and/or public places
<b>Signage</b>	Positioned at entrances to commercial premises providing information on the hazardous substances present
<b>Soil Adsorption Coefficient (Kd)</b>	The ratio of the concentrations of a substance adsorbed onto a solid sorbent to that dissolved in a liquid phase. The higher the value the less mobile the chemical is in soil
<b>Soil Organic Carbon-Water Partitioning Coefficient (Koc)</b>	The ratio of the mass of a chemical that is adsorbed in the soil per unit mass of organic carbon in the soil. The higher the value the less mobile the chemical is in soil
<b>STEL</b>	Short term exposure level – 15 minute time weighted average
<b>Tolerable Exposure Limit</b>	Maximum concentration limit of a substance above which persons must not be exposed
<b>Tracking</b>	For some particularly hazardous substances, a record must be kept of the transport, storage, sale and use of the product
<b>TWA</b>	Time weighted average calculated over an 8 hour working day
<b>Workplace Exposure Standard</b>	An occupational health standard limiting concentrations of specified substances to which persons are exposed
<b>Workplace Only</b>	A product that is restricted to a workplace only and under the supervision of a certified handler
<b>Please Note</b>	

# SAFETY DATA SHEET

## PRO-P



Users must ensure that the most up to date version of this safety data sheet is used.

This Safety Data Sheet summarises information on this product, and how to safely handle and use the product. Each user should familiarise themselves with the product label and Safety Data Sheet, and consider the information in the context of how the product will be handled and used, including in conjunction with other products. Orion AgriScience Ltd assumes no responsibility for the accuracy, completeness or suitability of this information. The user is responsible for determining the suitability and accuracy of this information for their particular purposes.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.