

1: Identification of the Substance and Supplier

Product NameCUTTER SAFERecommended UseHerbicide/InsecticideSuppliers DetailsOrion AgriScience Ltd

Unit 1, 15 Sir Gil Simpson Drive, Harewood, Christchurch, 8053

PO Box 39 071, Harewood, Christchurch, 8545

 Web Address
 www.orionagriscience.co.nz

 Email Address
 orders@orionagriscience.co.nz

Telephone Number (03) 928 2386 (office hours), 0800 674 6627 (free phone)

 Emergency Telephone
 0800 CHEMCALL (0800 243 622) (24 hours)

 National Poison Centre
 0800 POISON (0800 764 766) (24 hours)

Date of Issue/Revision March 2025

2: Hazards Identification

Hazard Pictograms



Signal Words

Hazard Classes:

Acute Oral Toxicity (Cat. 4)
Acute Inhalation Toxicity (Cat. 4)

Skin Irritation (Cat. 2) Eye Irritation (Cat. 2) Skin Sensitisation (Cat. 1)

Specific target organ toxicity (repeated exposure) (Cat.2) Hazardous to the aquatic environment acute (Cat. 1)

Hazardous to the aquatic environment dedic (cat. 1)

Hazardous to soil organisms
Hazardous to terrestrial vertebrates

Hazardous to terrestrial invertebrates

Precautionary Statements:

Prevention

Warning

Hazard Statements:

H302 Harmful if swallowed H332 Harmful if inhaled

H315 Causes skin irritation

H319 Causes serious eye irritation

H317 May cause an allergic skin reaction

H373 May cause damage to organs through prolonged or repeated exposure

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

H421 Very toxic to the soil environment H433 Harmful to terrestrial vertebrates

H443 Harmful to terrestrial invertebrates

P101 If medical advice is needed, have product container or label at hand

P102 Keep out of reach of children

P103 Read label before use

P264 Wash hands thoroughly after handling

P270 Do not eat, drink or smoke when using this product

P260 Do not breathe dust/fume/gas/mist/vapours/spray

P271 Use only outdoors or in a well-ventilated area

P272 Contaminated work clothing should not be allowed out of the workplace

P280 Do not breathe dust/fume/gas/mist/vapours/spray

P280 Wear eye protection/face protection and protective gloves

P273 Avoid release to the environment

Response



Keep out of reach of children. Read label before use. Avoid contact with eyes and skin. Do not breathe in the vapour or spray mist. Do not eat, drink or smoke during use. Wash hands thoroughly after use. When mixing or applying, wear personal protection as described in section 8. Do not take contaminated equipment or clothing off site. Take off contaminated clothing and wash before reuse. Take all reasonable steps to ensure that this product does not cause any significant adverse effects to the environment beyond the application area. Do not apply directly into or onto water.

P301+P312 IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell

P330 Rinse mouth

P304-P340 IF INHALED: Move person to fresh air and keep comfortable for breathing

P312 Call a POISON CENRE/doctor if you feel unwell P314 Get medical advice/attention if you feel unwell P302+P352 IF ON SKIN: Wash with plenty of water

P321 Specific treatment (Refer section 4)

P332+P313 If skin irritation occurs: Get medical advice/attention

P333+P313 If skin irritation or rash occurs: Get medical advice/attention P362+P364 Take off contaminated clothing and wash it before reuse

 ${\tt P305+P351+P338\ IF\ IN\ EYES:\ Rinse\ cautiously\ with\ water\ for\ several\ minutes.\ Remove}$

contact lenses, if present and easy to do so. Continue rinsing P337+P313 If eye irritation persists: Get medical advice/attention

P391 Collect spillage

Storage Keep out of reach of childern

Disposal P501 Dispose of contents by using it in accordance with this label. Dispose of the

First aid measures described in section 4. Contain and collect spillage for disposal. In an emergency call 111, Police or Fire Brigade. For specialist advice in an emergency only,

call 0800 CHEMCALL (0800 243 6225) (24 hrs).

3: Composition/ Information on Ingredients			
Ingredient	CAS No	Content (% w/v)	
Acetochlor (active ingredient)	34256-82-1	84	
Alpha-cypermethrin (active ingredient)	67375-30-8	<1	
Dichlormid	37764-25-3	10	
Other ingredients	Proprietary	Remainder	

4: First Aid Measures

If medical advice is needed, have product container or label at hand. For advice call the National Poisons Centre or a Doctor

Ingestion: IF SWALLOWED: Rinse mouth. Call a POISON CENTRE/doctor if you feel unwell.

Skin Contact: Wash with plenty of soap and water. Seek medical advice if irritation or rash occurs, or if feeling unwell.

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if easy to do so. Continue rinsing.

Seek medical advice if irritation persists.

Inhalation: Remove to fresh air and keep at rest in a position comfortable for breathing. Seek medical advice if feeling

unwell.

Workplace Facilities: Hand wash facility. Eye wash facility

Advice to Doctor: No specific antidote. Treat symptomatically. Paraethesia is self limiting and does not usually last beyond 24

hours. Topical application of vitamin E acetate may alleviate symptoms

National Poison Centre 0800 POISON (0800 764 766) (24 hours)

Symptoms of Exposure which could occur if this material is not handled in accordance with instructions:

Ingestion: No data available

Page: 2 of 6



Skin Contact: Irritation. Paraesthesia (numbness) of the facial skin. Prolonged or repeated contact may result in

degreasing of the skin and dermatitis. Contact may induce an allergic response in susceptible individuals.

Eye Contact: Irritation

Inhalation: Irritation, headache, dizziness, nausea, vomiting

5: Fire-Fighting Measures

Fire/Explosion Hazard Non-Flammable (but will be combustible in a fire)

HAZCHEM Code 3Z ERP Guide No 47

Extinguishing Media Water spray, foam, dry chemical or C02. Avoid water jet.

Fire Fighting Instructions During a fire, toxic fumes may be emitted. Wear self-contained breathing apparatus. Contain runoff.

Specific Hazards Arising from Fire No data available

6: Accidental Release Measures

Personal PrecautionsCaution: Floors may be slippery if wet. Wear personal protective clothing and equipment as described in

section 8. Exclude non-essential people from the area.

Environmental Precautions Prevent further spillage or leakage. Prevent material from entering drains, waterways, etc.

Clean Up Absorb spillage with inert material such as spill kit, sand or cat litter. Collect and place in a sealable

container for disposal. Wash down affected area with water and detergent. Absorb and collect washings for

disposal. Dispose of safely to a suitable landfill.

7: Handling and Storage

Storage: Keep out of reach of children. Store in the original tightly closed container in a secure area.

Handling and Use: Refer to Prevention statements in section 2 above. Exclude people and animals from the application area,

both during application and for the duration of the REI. Do not apply aerially.

REI Until spray has dried

8: Exposure Controls / Personal Protection

Tolerable Exposure Limit None established

Workplace Exposure Standards None established (Use lowest practicable level)

Engineering ControlsUse in a well-ventilated area. Select spray application equipment to minimize exposure to operator and

bystanders

Personal Protection:

The following Standards provide general advice regarding safety clothing and equipment:

Respiratory equipment: AS/NZS 1715, Protective Gloves: AS 2161, Occupational Protective Clothing: AS/NZS 4501, Industrial Eye Protection: AS1336 and AS/NZS 1337, Occupational

Protective Footwear: AS/NZS2210.

Eye Safety glasses/goggles when mixing or applying

Skin Chemical resistant overalls snugly fitting at the neck, wrist and ankle, boots and gloves

RespiratoryNot required where vapour or spray mist is not inhaled. Otherwise, respirator (organic vapour and

particulate matter) is required.

Clean protective equipment after use

9: Physical and Chemical Properties

Appearance
Odour
Solvent like
Odour Threshold
Does not apply
PH
Does not apply
Melting Point/Freezing Point
Does not apply

Page: 3 of 6



Boiling Point Does not apply

Flash Point >93°C

Flammability Does not apply **Upper/Lower Flammability Limits** Does not apply Vapour Pressure Does not apply Vapour Density Does not apply **Relative Density** 1.10 g/mL (approx.)

Solubility in Water Emulsifiable Partition Coefficient: n-octanol/water See section 12 **Auto ignition Temperature** Does not apply **Decomposition Temperature** Does not apply **Kinematic Viscosity** Does not apply Particle characteristics Does not apply

10: Stability and Reactivity

Stability Stable under normal conditions

Hazardous Reactions None Expected Incompatibility None Known **Hazardous Decomposition Products** None Known

11: Toxicological Information

Serious eye damage/Eye irritation

This section describes effects which could occur if this material is not handled in accordance with this data sheet and label instructions

Acute Oral Toxicity LD50 > 300 mg/kg **Acute Dermal Toxicity** LD50 > 2000 mg/kg**Acute Inhalation Toxicity** LD50 > 1 mg/LSkin corrosion/irritation Skin Irritant Eye Irritant

Respiratory or skin sensitisation May cause an allergic skin reaction in susceptible individuals

Information not available Germ cell mutagenicity Information not available Carcinogenicity Reproductive Toxicity Information not available Specific Organ Toxicity - Single Information not available

exposure

Specific Organ Toxicity - Repeated Oral exposure to acetochlor at high doses is damaging to the kidneys. Oral exposure to alpha-

exposure cypermethrin at high doses is damaging to the nervous system

Aspiration hazard Information not available

12: Ecological Information

This section describes effects which could occur if this material is not handled in accordance with this data sheet and label instructions

The following information is presented in respect of the active ingredient:

Ecotoxicity Acetochlor

- Acute Oral LD50 (Bobwhite quail) 1260 mg/kg
 - LC50 (96 hr) (Rainbow Trout) 0.36 mg/l
- LC50 (48 hr) (Daphnia) 9 mg/l
- Very toxic to some plant species (selective herbicide)
- Non toxic to bees.

Alpha-cypermethrin

Acute Oral LD50 (Quail) >10000 mg/kg

Page: 4 of 6



• LC50 (96 hr) (Rainbow trout) 2.8 μg/l

• LC50 (48 hr) (Daphnia) 0.1 – 0.3 μg/l

LD50 (24 hr) (Bee) 0.059 μg/bee

Persistence/degradability Biodegradable. DT50 (soil) 8 – 18 days (acetochlor)

Biodegradable. DT50 (soil) 23 days (alpha-cypermethrin)

Bioaccumulative Potential Octanol-water partition coefficient LogP = 4.14 (High) (acetochlor)

LogP = 5.8 (high) (alpha-cypermethrin)

Soil Mobility Soil organic carbon water partitioning coefficient Koc = 156 (moderately mobile) (acetochlor)

Koc = 288735 (non-mobile) (alpha-

cypermethrin)

Environmental Exposure Limit: None established

13: Disposal Considerations

Product Dispose of product by using it in accordance with the label. Waste product should be disposed of to a

suitable landfill. For disposal of large quantities contact Orion AgriScience Ltd.

Container Dispose of to a suitable landfill or via AgRecovery. Do not burn. Do not use packaging for any other

purpose.

14: Transport Information

Dangerous Goods

UN Number 3082

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ACETOCHLOR 84%, ALPHA-

CYPERMETHRIN 1%)

Class

Subsidiary Class None
Packing Group

Additional Information MARINE POLLUTANT

MTQ (Non-Commercial) 1000 litres

Passenger Service Vehicle 1 litre

15 Regulatory Information

EPA Approval No
ACVM Registration No
P9819
Qualified Person
Required
Certified Handler
Not required

Workplace Only No

Tracking Not required

Record Keeping Not required (unless > 3 L applied within 24 hours, and which is likely to leave the application area)

Site Requirements under EPA Notice

• A hazardous substance location compliance certificate is not required

A hazardous area is not required

Separation distances for class 3 and class 6 substances to protected places and public places is
not applicable.

• Fire extinguishers are not required

Signage is required for more than 100 litres

• An emergency response plan is required for more than 100 litres

Secondary containment is required for more than 100 litres

 Separation/Segregation from incompatible substances (classes 1, 2, 3.2, 4 and 5) is not applicable

Page: 5 of 6

and HSWHS Regs:



Additional Requirements

Refer to NZS 8409:2004 'Management of Agrichemicals', and relevant local and regional council plans

46 001 - 106 6	
16: Other Information SDS review date	12 March 2025
Glossary	12 IVIGICII 2023
ADE	Acceptable Daily Exposure – A daily dose, received via any route, below which no adverse effects are
ADE	expected over a lifetime of exposure
A CVINA	
ACVM	Agricultural Compounds and Veterinary Medicines group of the Ministry of Primary Industries
Cat.	GHS category
Ceiling	A concentration that should not be exceeded at any time during any part of the working day
Certified Handler	A qualification issued by a Compliance Certifier to handle and use particularly toxic substances (6.1A and
	6.1B)
DT50	Time (days) for 50% reduction in concentration
EC50	Concentration required to produce an effect in 50% of organisms
Environmental Exposure Limit	Maximum concentration limit of a substance in an environmental medium, e.g., water, soil.
EPA Notice	Hazardous Property Controls Notice 2017
ERP Guide	Dangerous Goods – Initial Emergency Response Guide SNZ HB 76:2008
GHS	Globally harmonized system of classification and labelling of chemicals
Hazardous Substance Location	For locations storing hazard substances of certain classes above threshold quantities
Compliance Certificate	
Hazardous Area	A designated area designed for the presence of flammable substances - Refer AS/NZS 60079.10.1:2009
HAZCHEM Code	Emergency action code for emergency services
HSWHS Regs	Health and Safety at Work (Hazardous Substances) Regulations 2017
LC50	Concentration that will kill 50% of organisms
LD50	Dose that will kill 50% or organisms
MTQ	Maximum Transport Quantity. The maximum amount of dangerous goods that can be transported by road
	by the user
Notification	Advance notice given to neighbours and other affected parties, of details of proposed application, and
	other details as described
Octanol-Water Partition Coefficient	The partition coefficient of a substance between n-octanol and water, used as the Logarithm base 10
	form, as an indicator that a substance may bioaccumulate
PDE	Permitted Daily Exposure - A daily dose below which no adverse effects are expected over a lifetime of
	exposure
Protected Place	Residential properties, schools, hospitals, kindys, factories, shops, warehouses, etc., and other places where
	people assemble
Public Place	A place frequented by the public, including roads (does not include private property)
Qualified Person	A requirement for the loader, contractor or person applying the product to hold a qualification such as a
	GROWSAFE Certificate, Unit Standard 21563, etc.
Record Keeping	Includes a spray diary or other record of application
REI	Restricted Entry Interval – The length of time after application before entry into the treated area is
	permitted without the use of protective equipment. For indoor environments, this time period commences
	once ventilation after treatment begins.
Separation Distances	The distances specified in Part 11 and Part 13 of HSWHS Regs between storage and/or use of hazardous
	substances and protected places and/or public places
Signage	Positioned at entrances to commercial premises providing information on the hazardous substances
33-	. Sometime at an entered to commercial premises providing information on the mazardous substances

Page: 6 of 6



present

Soil Adsorption Coefficient (Kd) The ratio of the concentrations of a substance adsorbed onto a solid sorbent to that dissolved in a liquid

phase. The higher the value the less mobile the chemical is in soil

Soil Organic Carbon-Water The ratio of the mass of a chemical that is adsorbed in the soil per unit mass of organic carbon in the soil.

Partitioning Coefficient (Koc) The higher the value the less mobile the chemical is in soil

STEL Short term exposure level – 15 minute time weighted average

Tolerable Exposure LimitMaximum concentration limit of a substance above which persons must not be exposed

Tracking For some particularly hazardous substances, a record must be kept of the transport, storage, sale and use

of the product

TWA Time weighted average calculated over an 8 hour working day

Workplace Exposure Standard An occupational health standard limiting concentrations of specified substances to which persons are

exposed

Workplace Only A product that is restricted to a workplace only and under the supervision of a certified handler

Please Note

Users must ensure that the most up to date version of this safety data sheet is used.

This Safety Data Sheet summarises information on this product, and how to safely handle and use the product. Each user should familiarise themselves with the product label and Safety Data Sheet, and consider the information in the context of how the product will be handled and used, including in conjunction with other products. Orion AgriScience Ltd assumes no responsibility for the accuracy, completeness or suitability of this information. The user is responsible for determining the suitability and accuracy of this information for their particular purposes.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Page: 7 of 6