

: Identification of the Substance and Supplier roduct Name	TERMINATOR G4
ecommended Use	Herbicide
uppliers Details	Orion AgriScience Ltd
	Unit 1, 15 Sir Gil Simpson Drive, Harewood, Christchurch, 8053
	PO Box 39 071, Harewood, Christchurch, 8545
eb Address	
nail Address	www.orionagriscience.co.nz
elephone Number	orders@orionagriscience.co.nz (03) 928 2386 (office hours), 0800 674 6627 (free phone)
-	
nergency Telephone ational Poison Centre	0800 CHEMCALL (0800 243 622) (24 hours)
	0800 POISON (0800 764 766) (24 hours)
ate of Issue/Revision 2: Hazards Identification	March 2025
Hazard Pictograms	
Signal Words	Warning
Hazard Classes:	Hazard Statements:
Eye Irritation (Cat. 2)	H319 Causes serious eye irritation
Reproductive Toxicity (Cat. 2)	H361 Suspected of damaging fertility or the unborn child
Specific target organ toxicity (repeated exposure) (Cat. 2)	
Hazardous to the aquatic environment acute (Cat. 1)	H400 Very toxic to aquatic life
Hazardous to the aquatic environment deute (cat. 1) Hazardous to the aquatic environment chronic (Cat. 1)	H410 Very toxic to aquatic life with long lasting effects
Hazardous to the aquatic environment enrollic (cat. 1) Hazardous to soil organisms	H421 Very toxic to soil environment
Hazardous to soli organisms	H433 Harmful to terrestrial vertebrates
Precautionary Statements:	
Prevention	P101 If medical advice is needed, have product container or label at hand
revention	P102 Keep out of reach of children
	P264 Wash hands thoroughly after handling
	P201 Obtain special instructions before use
	P202 Do not handle until all safety instructions have been read
	P273 Avoid release to the environment
	P280 Wear protective gloves/protective clothing/eye protection/face protection
	P260 Do not breathe fume/gas/mist/vapours/spray
	Avoid contact with eyes and skin. Do not breathe in the spray mist. When mixing or
	applying, wear personal protection as described in section 8. Take all reasonable step
	ensure that this product does not cause any significant adverse effects to the
	environment beyond the application area. Do not apply directly into or onto water.
	entre and a second and appreaders area. Do not apply anectly into of onto water.
Response	P308+P313 If exposed or concerned: get medical advice/attention
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do so. Continue rinsing
	contact lenses, if present and easy to do so. Continue rinsing P337+P313 If eye irritation persists: Get medical advice/attention



First aid measures described in section 4. Contain and collect spillage for disposal. In an

	emergency call 111, Police or Fire Brigade. For specialist advice in an emergency only,
	call 0800 CHEMCALL (0800 243 6225) (24 hrs).
Storage	P405 Store locked up
	Keep out of reach of children.
Disposal	P501 Dispose of contents by using it in accordance with this label. Dispose of the
	container via AgRecovery after triple rinsing (use the rinsate for spraying).

3: Composition/ Information on Ingredients		
Ingredient	CAS No	Content (% w/v)
Terbuthylazine (active ingredient)	5915-41-3	35
Glyphosate isopropylamine (active ingredient)	38641-94-0	10
Amitrole (active ingredient)	61-82-5	6
Oxyfluorfen (active ingredient)	42874-03-3	1.5
Other ingredients	Proprietary	Remainder

4: First Aid Measures

If medical advice is needed, have product container or label at hand. If exposed or concerned, get medical advice. For advice call the National Poisons Centre or a Doctor.

Ingestion:	Seek medical advice	
Skin Contact:	Wash with plenty of soap and water. Seek medical advice if irritation occurs.	
Eye Contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if easy to do so. Continue rinsing.	
	Seek medical advice if irritation persists.	
Inhalation:	Seek medical advice if feeling unwell	
Workplace Facilities:	Hand wash facility. Eye wash facility	
Advice to Doctor:	No specific antidote. Treat symptomatically	
National Poison Centre 0800 POISON (0800 764 766) (24 hours)		
Symptoms of Exposure which could occur if this material is not handled in accordance with instructions:		
Ingestion:	Burning sensation in throat and chest, nausea, vomiting, diarrhoea	
Skin Contact:	Mild Irritation	
Eye Contact:	Irritation and eye damage	
Inhalation:	Unknown	

5: Fire-Fighting Measures	
Fire/Explosion Hazard	Non-Flammable
HAZCHEM Code	3Z
ERP Guide No	47
Extinguishing Media	Water spray, foam, dry chemical or C02. Avoid water jet.
Fire Fighting Instructions	During a fire, toxic fumes may be emitted. Wear self-contained breathing apparatus. Contain runoff.
Specific Hazards Arising from Fire	No data available

6: Accidental Release Measure	S	
Personal Precautions	Caution: Floors may be slippery if wet. Wear personal protective clothing and equipment as described in	
	section 8. Exclude non-essential people from the area.	
Environmental Precautions	Prevent further spillage or leakage. Prevent material from entering drains, waterways, etc.	
Clean Up	Absorb spillage with inert material such as spill kit, sand or cat litter. Collect and place in a sealable	
	container for disposal. Wash down affected area with water and detergent. Absorb and collect washings for	
	disposal. Dispose of safely to a suitable landfill.	



7: Handling and Storage		
Storage:	Keep out of reach of children. Store in the original tightly closed container in a locked and secure area.	
Handling and Use:	Refer to Prevention statements in section 2 above. Exclude people and animals from the application area,	
	both during application and for the duration of the REI. Do not exceed the maximum application rate of	
	25 L/ha, and do not apply more than twice per year.	
REI	Until spray has dried	

8: Exposure Controls / Personal Protection		
Tolerable Exposure Limit	None established	
Workplace Exposure Standards	Amitrole 0.2 mg/m3 (8hr TWA)	
Engineering Controls	Select spray application equipment to minimize exposure to operator and bystanders	
Personal Protection:		
Еуе	Safety glasses/goggles when mixing or applying	
Skin	Chemical resistant overalls snugly fitting at the neck, wrist and ankle, boots and gloves	
Respiratory	Not required where spray mist is not inhaled. Otherwise, respirator (organic vapour and particulate matter)	
	is required.	

Clean protective equipment after use

9: Physical and Chemical Properties		
Appearance	Off-White Liquid	
Odour	Non-specific	
Odour Threshold	Does not apply	
рН	4.0 - 10.0	
Melting Point/Freezing Point	Does not apply	
Boiling Point	>100°C	
Flash Point	Does not apply	
Flammability	Does not apply	
Upper/Lower Flammability Limits	Does not apply	
Vapour Pressure	Does not apply	
Vapour Density	Does not apply	
Relative Density	1.15 g/mL (approx.)	
Solubility in Water	Dispersible	
Partition Coefficient: n-octanol/water	See section 12	
Auto ignition Temperature	Does not apply	
Decomposition Temperature	Does not apply	
Kinematic Viscosity	Does not apply	
Particle characteristics	Does not apply	

10: Stability and Reactivity	
Stability	Stable under normal conditions
Hazardous Reactions	None Expected
Incompatibility	None Known
Hazardous Decomposition Products	None Known

11: Toxicological Information

This section describes effects which could occur if this material is not handled in accordance with this data sheet and label instructions

Acute Oral Toxicity	LD50 > 2000 mg/kg
Acute Dermal Toxicity	LD50 > 5000 mg/kg



Acute Inhalation Toxicity	LD50 > 5 mg/L
Skin corrosion/irritation	Information not available
Serious eye damage/Eye irritation	Strongly Irritating
Respiratory or skin sensitisation	Information not available
Germ cell mutagenicity	Information not available
Carcinogenicity	Information not available
Reproductive Toxicity Animal feeding studies have found that rats fed amitrole at 5 – 25 mg/kg/day had fewer pups per litter	
	and weight at weaning was reduced. Animal feeding studies have found that amitrole at high doses (high
	enough to produce signs of toxicity in dams) birth defects occurred.
Specific Organ Toxicity – Single	Information not available
exposure	
Specific Organ Toxicity – Repeated	Animal feeding studies have found that rats fed amitrole at 3 - 6 mg/kg/day for 2 weeks showed enlarged
exposure	thyroid glands, and long oral exposure can cause reversible goiter. Animal feeding studies have found that
	liver toxicity occurred in dogs and mice fed oyxfluorfen at 33 mg/kg/day
Aspiration hazard	Information not available

12: Ecological Information

This section describes effects which could occur if this material is not handled in accordance with this data sheet and label instructions

The following information is presented in respect of the active ingredient:		
Ecotoxicity	Terbuthylazine	
	Acute Oral LD50 (Ducks) >1000 mg/kg	
	• LC50 (96 hr) (Rainbow trout) 3.8 – 4.6 mg/l	
	 LC50 (48 hr) (Daphnia) 21 – 50.9 mg/l 	
	• EC50 (72 hr) (Algae) 0.016 – 0.024 mg/l	
	Very toxic to some plant species (selective herbicide)	
	Non - toxic to bees	
	Glyphosate isopropylamine	
	• LC50 (96 hr) (Rainbow trout) >1000 mg/l	
	• LC50 (48 hr) (Daphnia) >930 mg/l	
	• LC50 (96 hr) (Green Algae) 72.9 mg/l	
	Very toxic to plant species (herbicide)	
	Non - toxic to bees	
	Amitrole	
	Acute Oral LD50 (Bobwhite quail) >2150 mg/kg	
	• LC50 (96 hr) (Rainbow trout) >1000 mg/l	
	• LC50 (48 hr) (Daphnia) >10 mg/l	
	LC50 (96 hr) (Green Algae) 9 mg/l	
	Very toxic to plant species (herbicide)	
	Non - toxic to bees	
	Oxyfluorfen	
	 Acute Oral LD50 (Bobwhite quail) >947 mg/kg 	
	LC50 (96 hr) (Bluegill sunfish) 0.2 mg/l	
	• LC50 (48 hr) (Daphnia) 1.5 mg/l	
	• EC50 (96 hr) (Algae) 5.04 mg/l	

• Very toxic to some plant species (selective herbicide)



	• Non - toxic to bees	
Persistence/degradability	Biodegradable. DT50 (soil) 30 - 60 days (terbuthylazine)	
	Biodegradable. DT50 (soil) 3 - 174 days (glyphosate)	
	Biodegradable. DT50 (soil) 18 days (amitrole)	
	Biodegradable. DT50 (soil) 5 - 55 days (oxyfluorfen)	
Bioaccumulative Potential	Octanol-water partition coefficient	LogP = 3.21 (high) (terbuthylazine)
		LogP = -5.4 (low) (glyphosate)
		LogP = -0.97 (low) (amitrole)
		LogP = 4.86 (high) (oxyfluorfen)
Soil Mobility	Soil organic carbon water partitioning coefficient	Koc = 39 (mobile) (terbuthylazine)
		Koc = 28 (mobile) (glyphosate)
		Koc = 28 (mobile) (amitrole)
		Koc = 28 (mobile) (oxyfluorfen)
Environmental Exposure Limit:	None set	

13: Disposal Considerations	
Product	Dispose of product by using it in accordance with the label. Waste product should be disposed of to a
	suitable landfill. For disposal of large quantities contact Orion AgriScience Ltd.
Container	Dispose of to a suitable landfill or via AgRecovery. Do not burn. Do not use packaging for any other
	purpose.

14: Transport Information	
Dangerous Goods	
UN Number	3082
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TERBUTHYLAZINE 35%, GLYPHOSATE
	ISOPROPYLAMINE 10%, AMITROLE 6%, OXYFLUORFEN 1.5%)
Class	9
Subsidiary Class	None
Packing Group	III
Additional Information	MARINE POLLUTANT
MTQ (Non-Commercial)	1000 litres
Passenger Service Vehicle	No restriction

15 Regulatory Information	
EPA Approval No	HSR007866
ACVM Registration No	Not required
Qualified Person	Required
Certified Handler	Not required
Workplace Only	No
Tracking	Not required
Record Keeping	Not required (unless > 3 L applied within 24 hours, and which is likely to leave the application area)
Site Requirements under EPA Notice	A hazardous substance location compliance certificate is not required
and HSWHS Regs:	A hazardous area is not required
	• Separation distances for class 3 and class 6 substances to protected places and public places is
	not applicable
	Fire extinguishers are not required
	Signage is required for more than 100 litres
	An emergency response plan is required for more than 100 litres



- Secondary containment is required for more than 100 litres
 - Segregation from incompatible substances is not applicable

Refer to NZS 8409:2004 'Management of Agrichemicals', and relevant local and regional council plans

Additional Requirements

16: Other Information SDS review date 10 March 2025 Glossary ADE Acceptable Daily Exposure - A daily dose, received via any route, below which no adverse effects are expected over a lifetime of exposure ACVM Agricultural Compounds and Veterinary Medicines group of the Ministry of Primary Industries Cat. GHS category A concentration that should not be exceeded at any time during any part of the working day Ceiling **Certified Handler** A qualification issued by a Compliance Certifier to handle and use particularly toxic substances (6.1A and 6.1B) DT50 Time (days) for 50% reduction in concentration FC50 Concentration required to produce an effect in 50% of organisms **Environmental Exposure Limit** Maximum concentration limit of a substance in an environmental medium, e.g., water, soil. **EPA Notice** Hazardous Property Controls Notice 2017 **ERP** Guide Dangerous Goods - Initial Emergency Response Guide SNZ HB 76:2008 GHS Globally harmonized system of classification and labelling of chemicals **Hazardous Substance Location** For locations storing hazard substances of certain classes above threshold quantities **Compliance Certificate** A designated area designed for the presence of flammable substances - Refer AS/NZS 60079.10.1:2009 **Hazardous** Area **HAZCHEM** Code Emergency action code for emergency services **HSWHS Regs** Health and Safety at Work (Hazardous Substances) Regulations 2017 LC50 Concentration that will kill 50% of organisms LD50 Dose that will kill 50% or organisms мто Maximum Transport Quantity. The maximum amount of dangerous goods that can be transported by road by the user Notification Advance notice given to neighbours and other affected parties, of details of proposed application, and other details as described **Octanol-Water Partition Coefficient** The partition coefficient of a substance between n-octanol and water, used as the Logarithm base 10 form, as an indicator that a substance may bioaccumulate PDE Permitted Daily Exposure - A daily dose below which no adverse effects are expected over a lifetime of exposure **Protected Place** Residential properties, schools, hospitals, kindys, factories, shops, warehouses, etc., and other places where people assemble **Public Place** A place frequented by the public, including roads (does not include private property) **Qualified Person** A requirement for the loader, contractor or person applying the product to hold a qualification such as a GROWSAFE Certificate, Unit Standard 21563, etc. **Record Keeping** Includes a spray diary or other record of application REI Restricted Entry Interval - The length of time after application before entry into the treated area is permitted without the use of protective equipment. For indoor environments, this time period commences once ventilation after treatment begins. Segregation Certain classes of substances must not be in contact with, and must be stored separately from, certain other classes as specified in HSWHS Regs



Separation Distances	The distances specified in Part 11 and Part 13 of HSWHS Regs between storage and/or use of hazardous
	substances and protected places and/or public places
Signage	Positioned at entrances to commercial premises providing information on the hazardous substances
	present
Soil Adsorption Coefficient (Kd)	The ratio of the concentrations of a substance adsorbed onto a solid sorbent to that dissolved in a liquid
	phase. The higher the value the less mobile the chemical is in soil
Soil Organic Carbon-Water	The ratio of the mass of a chemical that is adsorbed in the soil per unit mass of organic carbon in the soil.
Partitioning Coefficient (Koc)	The higher the value the less mobile the chemical is in soil
STEL	Short term exposure level – 15 minute time weighted average
Tolerable Exposure Limit	Maximum concentration limit of a substance above which persons must not be exposed
Tracking	For some particularly hazardous substances, a record must be kept of the transport, storage, sale and use
	of the product
TWA	Time weighted average calculated over an 8 hour working day
Workplace Exposure Standard	An occupational health standard limiting concentrations of specified substances to which persons are
	exposed
Workplace Only	A product that is restricted to a workplace only and under the supervision of a certified handler
Please Note	
Users must ensure that the most up to da	ate version of this safety data sheet is used.

This Safety Data Sheet summarises information on this product, and how to safely handle and use the product. Each user should familiarise

themselves with the product label and Safety Data Sheet, and consider the information in the context of how the product cuch user should laminarise including in conjunction with other products. Orion AgriScience Ltd assumes no responsibility for the accuracy, completeness or suitability of this information. The user is responsible for determining the suitability and accuracy of this information for their particular purposes. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.