

1: Identification of the Substance and Supplier

Product Name SAPROL
Recommended Use Fungicide

Suppliers Details Orion AgriScience Ltd

Unit 1, 15 Sir Gil Simpson Drive, Harewood, Christchurch, 8053

PO Box 39 071, Harewood, Christchurch, 8545

Web Addresswww.orionagriscience.co.nzEmail Addressorders@orionagriscience.co.nz

Telephone Number (03) 928 2386 (office hours), 0800 674 6627 (free phone)

 Emergency Telephone
 0800 CHEMCALL (0800 243 622) (24 hours)

 National Poison Centre
 0800 POISON (0800 764 766) (24 hours)

Date of Issue/Revision May 2023

2: Hazards Identification

Hazard Pictograms



Signal Words

Hazard Classes:

Flammable Liquid (Cat. 4) Skin Irritation (Cat. 2) Eye Irritation (Cat. 2)

Reproductive Toxicity (Cat. 1)

Specific target organ toxicity (repeated exposure) (Cat. 1)

Hazardous to terrestrial vertebrates

Precautionary Statements:

Prevention

Danger

Hazard Statements:

H227 Combustible Liquid H315 Causes skin irritation

H319 Causes serious eye irritation

 ${\sf H360}$ May damage fertility or the unborn child

H372 Causes damage to organs through prolonged or repeated exposure

Harmful to terrestrial vertebrates

P101 If medical advice is needed, have product container or label at hand

P102 Keep out of reach of children

P103 Read carefully and follow all instructions

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P280 Wear protective gloves/protective clothing/eye protection/face protection

P264 Wash hands thoroughly after handling

P203 Obtain, read and follow all safety instructions before use P260 Do not breathe dust/fume/gas/mist/vapours/spray

P270 Do not eat, drink or smoke when using this product

Avoid contact with eyes and skin. Do not breathe in the vapour or spray mist. When mixing or applying, wear personal protection as described in section 8. Take all reasonable steps to ensure that this product does not cause any significant adverse effects to the environment beyond the application area. Do not apply directly into or onto water.

Response

P370+P378 In case of fire use water spray, foam, dry chemical or C02 to extinguish

P302+P317 IF ON SKIN: Get medical help

P302+P352 IF ON SKIN: Wash with plenty water

P321 specific treatment (Refer to section 4)

P332+P317 If skin irritation occurs: Get medical help

P362+P364 Take off contaminated clothing and wash it before reuse

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do so. Continue rinsing



P337+P317 If eye irritation persists: Get medical help

P318 If exposed or concerned, get medical advice

P319 Get medical help if you feel unwell

First aid measures described in section 4. Contain and collect spillage for disposal. In an emergency call 111, Police or Fire Brigade. For specialist advice in an emergency only, call

0800 CHEMCALL (0800 243 6225) (24 hrs).

Storage P403 Store in a well ventilated place

P405 Store locked up

Disposal P501 Dispose of contents by using it in accordance with the label. Dispose of the container via

AgRecovery after triple rinsing (use the rinsate for spraying).

3: Composition/Information on Ingredients

IngredientCAS NoContent (% w/v)Triforine (active ingredient)26644-46-219N-methylpyrrolidone872-50-410 - 30N,N-dimethylformamide68-12-210 - 30Other ingredientsProprietaryRemainder

4: First Aid Measures

If medical advice is needed, have product container or label at hand. For advice call the National Poisons Centre or a Doctor

Ingestion: Seek medical advice if feeling unwell

Skin Contact: Wash with plenty of soap and water. Seek medical advice if irritation occurs.

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if easy to do so. Continue rinsing. Seek

medical advice if irritation persists.

Inhalation:Seek medical advice if feeling unwellWorkplace Facilities:Hand wash facility. Eye wash facilityAdvice to Doctor:No specific antidote. Treat symptomaticallyNational Poison Centre0800 POISON (0800 764 766) (24 hours)

Symptoms of Exposure which could occur if this material is not handled in accordance with instructions:

Ingestion: No data available

Skin Contact: Irritation

Eye Contact: Irritation

Inhalation: Headache, abdominal pain, diarrhoea, nausea, vomiting.

5: Fire-Fighting Measures

Fire/Explosion Hazard Flammable liquid and vapour

HAZCHEM Code 3Z ERP Guide No 47

Extinguishing Media Water spray, foam, dry chemical or C02. Avoid water jet.

Fire Fighting Instructions During a fire, toxic fumes may be emitted. Wear self-contained breathing apparatus. Contain runoff.

Specific Hazards Arising from Fire No data available

6: Accidental Release Measures

Personal Precautions Caution: Floors may be slippery if wet. Eliminate all ignition sources and naked lights. Use non-sparking

equipment. Leave and/or avoid entering confined spaces. Wear personal protective clothing and equipment as described in section 8. Respiratory protection (with organic vapour cartridge) required for any spill other than

minor. Exclude non-essential people from the area.

Environmental Precautions Prevent further spillage or leakage. Prevent material from entering drains, waterways, etc.



Clean Up

Absorb spillage with inert material such as spill kit, sand or cat litter. Collect and place in a sealable container for disposal. Wash down affected area with water and detergent. Absorb and collect washings for disposal. Dispose of safely to a suitable landfill.

7: Handling and Storage

Storage: Keep out of reach of children. Store in the original tightly closed container in a cool, well ventilated, and secure

Handling and Use: Keep out of reach of children. Refer to Prevention statements in section 2 above. Keep people and animals away

from the area while spraying and for the duration of the REI.

REI Until spray has dried

8: Exposure Controls / Personal Protection

Tolerable Exposure Limit None established

Workplace Exposure Standards N-methylpyrrolidone 103 mg/m³, 25 ppm (8 hr TWA), 309 mg/m³, 75 ppm (15 min STEL)

N,N-dimethylformamide 30 mg/m3, 10 ppm (8 hr TWA)

Engineering Controls Select spray application equipment to minimize exposure to operator and bystanders

Skin

Respiratory

Eye Safety glasses/goggles (or full face respirator incorporating visor) when mixing or applying.

Chemical resistant overalls snugly fitting at the neck, wrist and ankle, boots and gloves (barrier multilayer, nitrile, neoprene). For overhead applications, use chemical resistant head covering (coveralls with hood recommended).

Not required where vapour or spray mist is not inhaled. Otherwise, respirator (organic vapour and particulate

matter) is required Clean protective equipment after use

9: Physical and Chemical Properties

Appearance Clear Amber Liquid Odour Solvent like

Odour Threshold No data available Not applicable Hq Melting Point/Freezing Point No data available **Boiling Point** No data available

Flash Point 70°C approx. (closed cup method)

Flammability Flammable

Upper/Lower Flammability Limits No data available. May form explosive mixture in enclosed or poorly ventilated areas

Vapour Pressure No data available Vapour Density >1 (heavier than air) Relative Density 1.07 g/mL (approx.) Solubility in Water Emulsifiable Partition Coefficient: n-octanol/water See section 12 Auto ignition Temperature No data available

No data available **Decomposition Temperature** Kinematic Viscosity No data available

10: Stability and Reactivity

Stability Stable under normal conditions

Hazardous Reactions None Expected Incompatibility None Known Hazardous Decomposition Products None Known

11: Toxicological Information

This section describes effects which could occur if this material is not handled in accordance with this data sheet and label instructions

Acute Oral Toxicity LD50 > 5000 mg/kgAcute Dermal Toxicity LD50 > 2000 mg/kgAcute Inhalation Toxicity LD50 > 5 mg/L

Skin Irritant/Corrosive Irritant Eye Irritant/Corrosive Irritant Sensitisation Effects None Mutagenic Effects None Carcinogenic Effects None

Reproductive Effects Reproductive and development effects have been noted in long term animal feeding studies on triforine, N-

methylpyrrolidone and N,N-dimethylformamide

Specific Organ Toxicity Long term animal feeding studies on N,N-dimethylformamide have noted damage to liver and kidneys

Page: 3 of 6



12: Ecological Information

This section describes effects which could occur if this material is not handled in accordance with this data sheet and label instructions

The following information is presented in respect of the active ingredient:

Ecotoxicity

- LC50 (96 hr) (Oncorhynchus spp) >1 mg/l
- EC50 (48 hr) (Daphnia) 117 mg/l
- EC50 (96 hr) (Algae) 380 mg/l
- Non toxic to bees.

Persistence/degradability Biodegradable. DT50 (soil) 19 days (typical)

Bioaccumulative PotentialOctanol-water partition coefficient
LogP = 2.4 (low) **Soil Mobility**Soil organic carbon water partitioning coefficient
Koc = 527 (slightly mobile)

Environmental Exposure Limit: None established

13: Disposal Considerations

Product Dispose of product by using it in accordance with the label. Waste product should be disposed of to a suitable

landfill. For disposal of large quantities contact Orion AgriScience Ltd.

Container Dispose of to a suitable landfill or via AgRecovery. Do not burn. Do not use packaging for any other purpose.

14: Transport Information

Dangerous Goods

UN Number Not Applicable – Not dangerous for transport

Proper Shipping Name Not Applicable – Not dangerous for transport

Class Not Applicable – Not dangerous for transport

Subsidiary Class Not Applicable – Not dangerous for transport

Packing Group Not Applicable – Not dangerous for transport

Additional Information Not Applicable – Not dangerous for transport

MTQ (Non-Commercial) Not Applicable – Not dangerous for transport

Passenger Service Vehicle Maximum quantity 10 litres

15 Regulatory Information

EPA Approval No HSR000148

ACVM Registration No P2596

Qualified Person Not required

Certified Handler Not required

Workplace Only No

Tracking Not required
Record Keeping Not required

Site Requirements under EPA Notice and HSWHS Regs:

A hazardous substance location compliance certificate is not required

A hazardous area is not required

 Separation distances for class 3 and class 6 substances to protected places and public places is not applicable

Fire extinguishers are required for more than 500 litres (2 fire extinguishers)

• Signage is required for more than 10000 litres

• An emergency response plan is required for more than 10000 litres

• Secondary containment is required for more than 10000 litres

• Segregation from incompatible substances (classes 1, 2, 3.2, 4 and 5) is required

Application into water is subject to requirements concerning maximum application rates, frequencies, intervals, permissions, signage, notification, incident reporting, annual reporting, species thresholds, etc. Refer to Orion or

EPA for more information

Additional Requirements Refer to NZS 8409:2004 'Management of Agrichemicals', and relevant local and regional council plans

16: Other Information

alossary

Restrictions

ADE Acceptable Daily Exposure – A daily dose, received via any route, below which no adverse effects are expected

over a lifetime of exposure

ACVM Agricultural Compounds and Veterinary Medicines group of the Ministry of Primary Industries

Cat. GHS category

Ceiling A concentration that should not be exceeded at any time during any part of the working day



Certified Handler A qualification issued by a Compliance Certifier to handle and use particularly toxic substances (6.1A and 6.1B)

DT50 Time (days) for 50% reduction in concentration

EC50 Concentration required to produce an effect in 50% of organisms

Environmental Exposure Limit Maximum concentration limit of a substance in an environmental medium, e.g., water, soil.

EPA Notice Hazardous Property Controls Notice 2017

ERP Guide Dangerous Goods – Initial Emergency Response Guide SNZ HB 76:2008

GHS Globally harmonized system of classification and labelling of chemicals

Hazardous Substance Location

Compliance Certificate

Hazardous Area A designated area designed for the presence of flammable substances - Refer AS/NZS 60079.10.1:2009

HAZCHEM Code Emergency action code for emergency services

HSWHS Regs Health and Safety at Work (Hazardous Substances) Regulations 2017

LC50 Concentration that will kill 50% of organisms
LD50 Dose that will kill 50% or organisms

MTQ Maximum Transport Quantity. The maximum amount of dangerous goods that can be transported by road by the

For locations storing hazard substances of certain classes above threshold quantities

user

Notification Advance notice given to neighbours and other affected parties, of details of proposed application, and other

details as described

Octanol-Water Partition Coefficient

The partition coefficient of a substance between n-octanol and water, used as the Logarithm base 10 form, as an

indicator that a substance may bioaccumulate

PDE Permitted Daily Exposure - A daily dose below which no adverse effects are expected over a lifetime of exposure

Protected Place Residential properties, schools, hospitals, kindys, factories, shops, warehouses, etc., and other places where

people assemble

Public Place A place frequented by the public, including roads (does not include private property)

Qualified Person A requirement for the loader, contractor or person applying the product to hold a qualification such as a

GROWSAFE Certificate, Unit Standard 21563, etc.

Record Keeping Includes a spray diary or other record of application

REI Restricted Entry Interval – The length of time after application before entry into the treated area is permitted

without the use of protective equipment. For indoor environments, this time period commences once ventilation

after treatment begins.

Segregation Certain classes of substances must not be in contact with, and must be stored separately from, certain other

classes as specified in HSWHS Regs

Separation Distances The distances specified in Part 11 and Part 13 of HSWHS Regs between storage and/or use of hazardous

substances and protected places and/or public places

Signage Positioned at entrances to commercial premises providing information on the hazardous substances present

Soil Adsorption Coefficient (Kd)

The ratio of the concentrations of a substance adsorbed onto a solid sorbent to that dissolved in a liquid phase.

The higher the value the less mobile the chemical is in soil

Soil Organic Carbon-Water Partitioning

Coefficient (Koc)

SILL

The ratio of the mass of a chemical that is adsorbed in the soil per unit mass of organic carbon in the soil. The

higher the value the less mobile the chemical is in soil

Short term exposure level – 15 minute time weighted average

Tolerable Exposure Limit

Maximum concentration limit of a substance above which persons must not be exposed

Tracking For some particularly hazardous substances, a record must be kept of the transport, storage, sale and use of the

oroduct

TWA Time weighted average calculated over an 8 hour working day

Workplace Exposure Standard An occupational health standard limiting concentrations of specified substances to which persons are exposed

Workplace Only

A product that is restricted to a workplace only and under the supervision of a certified handler

Please Note

Users must ensure that the most up to date version of this safety data sheet is used.

This Safety Data Sheet summarises information on this product, and how to safely handle and use the product. Each user should familiarise themselves with the product label and Safety Data Sheet, and consider the information in the context of how the product will be handled and used, including in conjunction with other products. Orion AgriScience Ltd assumes no responsibility for the accuracy, completeness or suitability of this information. The user is responsible for determining the suitability and accuracy of this information for their particular purposes.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.