200 x 110mm (WxH)

# READ LABEL BEFORE USE

WARNING: May cause damage to the blood system from repeated ingestion at high doses. Harmful to aquatic organisms. Toxic to terrestrial vertebrates. PRECAUTIONS: Keep out of reach of children. Avoid skin contact. Wash hands and exposed skin after handling. Do NOT eat, drink or smoke when using this product. Do NOT lav baits in places accessible to children, pets, birds or other animals. Do NOT place baits in bush areas where stock or feral animals have access to baits. Do NOT contaminate water bodies or drains with baits or packaging. Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area. PERSONAL PROTECTION: Always wear gloves when handling the blocks. FIRST AID: If medical advice is needed, have product container or label at hand. If swallowed: Do NOT induce vomiting. For advice, call the Poisons Centre on 0800 POISON (0800 764 766), or a Doctor immediately. If on skin: wash with plenty of soap and water. NOTE TO DOCTORS AND VETERINARIANS: Brodifacoum is a long lasting anticoagulant compound, which if ingested by humans, domestic animals or pets, can reduce the clotting ability of the blood, and haemorrhage may result. Vitamin K1 (phytomenadione) should be administered urgently by medical, appropriate paramedical personnel or veterinarians. If administered intravenously, the injection must be given slowly. STORAGE: Store in the original container in a cool, dry area away from direct sunlight. Keep the lid tightly closed. Store in a locked and secure area away from feed or food. DISPOSAL: Dispose of any untaken or unused baits or packaging by wrapping in paper, placing in a plastic bag and disposing of via domestic or commercial waste. Do NOT use packaging for any other purpose. Dispose of carcasses by burving, or by wrapping in paper, placing in a plastic bag, and disposing of via domestic or commercial waste. EMERGENCY RESPONSE: In a transport emergency call 111. Police or Fire Brigade. For specialist advice in an emergency only, call 0800 CHEMCALL (0800 243 6225) (24 hrs.). REFER TO SAFETY DATA SHEET: Additional information is provided in the safety data sheet. Freephone 0800 ORIONAS (0800 674 6627) or visit www.orionagriscience.co.nz

GENERAL INFORMATION: 7 in 1 Go Rodent Blocks will kill both rats and mice, including those resistant to warfarin. No pre-baiting is required. One feed is sufficient to kill a mouse or rat, but they will continue to eat the bait even after a lethal dose has been eaten. 7 in 1 Go Rodent Blocks can be used both indoors and outdoors. The baits are approved for use as a ground based application in a bait station. Use only with an appropriate bait station. By law this product must only be used in a bait station or as specified on the label.

Batch No:

Date of manufacture:

WARNING | HARMFUL | ECOTOXIC **KEEP OUT OF REACH OF CHILDREN** 



A ready to use rodenticide bait for rats and mice Durable weather resistant blocks that kill on a single feed Each block kills up to seven rats – seven in one go

Contains brodifacoum 0.05 g/Kg in the form of a bait Also contains the bittering agent denatonium benzoate to deter accidental human consumption



# **HSNO Hazard Classifications: Specific Target** Organ Toxicity repeated exposure Category 2, **Designed for biocidal action**

### DIRECTIONS

Eliminate alternative food sources. Do NOT place baits in the open, or in areas accessible to children, pets, birds or other animals. Locate the baits in a bait station, or under cover or in a pipe along walls or rafters. and in dark sheltered areas where there are signs of rodent activity. Do NOT use in areas liable to flooding. Baits can be nailed or secured in place with wire. Ensure baits cannot be moved from the bait location. For Mice: Use a single bait block 5m apart, or 2m apart for high infestations

For Rats: Use 1 - 3 blocks 10m apart, or 5m apart for high infestations

Record the location and number of bait stations to assist with later checking and removal. Inspect the baits regularly, and replace every 7 davs until no more are being taken.

Baiting for at least 2 weeks will be necessary to reduce rodent numbers. Ensure any untaken baits are removed and safely disposed of when rodent activity has ceased. Where possible, to reduce the risk of secondary poisoning, dead rats and mice should be collected for disposal. Do NOT let cats or doos eat poisoned rats or mice.

#### WARRANTY

This formulation is warranted to contain the specified active incredient within accepted analytical tolerance when packed. The user bears the risk for damage resulting from factors beyond the manufacturer's control. The manufacturer declines all liability for damage resulting from improper storage or use of the product.

Registered pursuant to the ACVM Act 1997, No. V9655 See www.foodsafety.govt.nz for registration conditions Approved pursuant to the HSNO Act 1996, No. HSR001594 See www.epa.govt.nz for approval controls.

™ 7 in 1 Go is a Trademark of Orion AgriScience Ltd

### Registrant:

Orion AgriScience Ltd, Unit 1, 15 Sir Gil Simpson Drive, Harewood, Christchurch 8053 0800 674 6627 www.orionagriscience.co.nz

