

1: Identification of the Substance and Supplier

Product Name BEETALL PD

Recommended Use Herbicide

Suppliers Details Orion AgriScience Ltd

Unit 1, 15 Sir Gil Simpson Drive, Harewood, Christchurch, 8053

PO Box 39 071, Harewood, Christchurch, 8545

 Web Address
 www.orionagriscience.co.nz

 Email Address
 orders@orionagriscience.co.nz

Telephone Number (03) 928 2386 (office hours), 0800 674 6627 (free phone)

 Emergency Telephone
 0800 CHEMCALL (0800 243 622) (24 hours)

 National Poison Centre
 0800 POISON (0800 764 766) (24 hours)

Date of Issue/Revision December 2020

2: Hazards Identification

Hazard Pictograms

Signal Words

Hazard Classes:

6.3B Skin Irritation (Cat. 3)

6.5B Skin Sensitisation (Cat. 1)

8.3A Serious Eye Damage/Eye Irritation (Cat. 1)

9.1A Aquatic Ecotoxicity (Cat. 1)

9.2B Soil Ecotoxicity

Precautionary Statements:

Prevention

Danger

Hazard Statements:

H316 Causes mild skin irritation

H317 May cause an allergic skin reaction

H318 Causes serious eye damage

H410 Very toxic to aquatic life with long lasting effects

Toxic to some plant species (selective herbicide)

P261 Avoid breathing dust/fume/gas/mist/vapours/spray

P272 Contaminated work clothing should not be allowed out of the workplace

P280 Wear protective gloves

P260 Do not breathe dust/fume/gas/mist/vapours/spray

P280 Wear eye protection/face protection

Keep out of reach of children. Read label before use. Avoid contact with eyes and skin. Do not breathe in the spray mist. When mixing or applying, wear personal protection as described in section 8. Take all reasonable steps to ensure that this product does not cause any significant adverse effects to the environment beyond the application area. Do

not apply directly into or onto water.

Response P261 Avoid breathing dust/fume/gas/mist/vapours/spray

P302+P352 IF ON SKIN: Wash with plenty of water

P333+P317 If skin irritation or rash occurs: Get medical help

P321 Specific treatment (See first aid instructions)

P362+P364 Take off contaminated clothing and wash it before reuse

P319 Get medical help if you feel unwell

P391 Collect spillage

P305+354+338 IF IN EYES: Immediately rinse with water for several minutes. Remove

contact lenses if present and easy to do. Continue rinsing

P317 Get medical help

Page: 1 of 6



First aid measures described in section 4. Contain and collect spillage for disposal. In an emergency call 111, Police or Fire Brigade. For specialist advice in an emergency only,

call 0800 CHEMCALL (0800 243 6225) (24 hrs).

Storage Keep out of reach of children.

Disposal P501 Dispose of contents by using it in accordance with this label. Dispose of the

container via AgRecovery after triple rinsing (use the rinsate for spraying).

3: Composition/ Information on Ingredients Ingredient CAS No Content (% w/v) Desmedipham (active ingredient) 13684-56-5 13684-63-4 Phenmedipham (active ingredient) 16 Isotridecanol, ethoxylated 69011-36-5 <10 1,2-Benzisothiazolin-3-one 2634-33-5 < 0.1 Other ingredients Remainder **Proprietary**

4: First Aid Measures

If medical advice is needed, have product container or label at hand. For advice call the National Poisons Centre or a Doctor

Ingestion: Seek medical advice if feeling unwell

Skin Contact: Wash with plenty of soap and water. Seek medical advice if irritation or rash occurs.

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if easy to do so. Continue rinsing.

Call the Poisons Centre on 0800 POISON (0800 764 766), or a Doctor immediately.

Inhalation: Remove to fresh air and keep at rest in a position comfortable for breathing. Seek medical advice if feeling

unwell.

Workplace Facilities: Hand wash facility. Eye wash facility

Advice to Doctor: No specific antidote. Treat symptomatically
National Poison Centre 0800 POISON (0800 764 766) (24 hours)

Symptoms of Exposure which could occur if this material is not handled in accordance with instructions:

Ingestion: Photodermatitis, hypoactivity, salivation, muscle weakness, nasal discharge, and laboured breathing

Skin Contact: Irritation. Contact may induce an allergic response in susceptible individuals

Eye Contact: Irritation and serious eye damage

Inhalation: No data available

5: Fire-Fighting Measures

Fire/Explosion Hazard Non-Flammable

HAZCHEM Code 3Z ERP Guide No 47

Extinguishing Media Water spray, foam, dry chemical or C02. Avoid water jet.

Fire Fighting InstructionsDuring a fire, toxic fumes may be emitted. Wear self-contained breathing apparatus. Contain runoff.

Specific Hazards Arising from FireNo data available

6: Accidental Release Measures

Personal Precautions Caution: Floors may be slippery if wet. Wear personal protective clothing and equipment as described in

section 8. Exclude non-essential people from the area.

Environmental Precautions Prevent further spillage or leakage. Prevent material from entering drains, waterways, etc.

Clean Up Absorb spillage with inert material such as spill kit, sand or cat litter. Collect and place in a sealable

container for disposal. Wash down affected area with water and detergent. Absorb and collect washings for

disposal. Dispose of safely to a suitable landfill.



7: Handling and Storage

Keep out of reach of children. Store in the original tightly closed container in a secure area. Storage:

Handling and Use: Keep out of reach of children. Refer to Prevention statements in section 2 above. Keep people and animals

away from the area while spraying and for the duration of the REI.

REI Until spray has dried

8: Exposure Controls / Personal Protection

Tolerable Exposure Limit None established **Workplace Exposure Standards** None established

Engineering Controls Select spray application equipment to minimize exposure to operator and bystanders

Eye Safety glasses/goggles when mixing or applying

Skin Cotton overalls snugly fitting at the neck, wrist and ankle, boots and waterproof gloves when mixing and

applying

< 0°C

Respiratory Not required where spray mist is not inhaled. Otherwise, respirator (organic vapour and particulate matter)

is required.

Clean protective equipment after use

9: Physical and Chemical Properties

Off White Opaque Liquid **Appearance**

Odour Slight

Odour Threshold No data available 4 - 6 (1% dispersion) рΗ

Melting Point/Freezing Point Boiling Point > 100°C Flash Point Not applicable **Flammability** Not flammable **Upper/Lower Flammability Limits** Not applicable Vapour Pressure No data available **Vapour Density** No data available **Relative Density** 1.06 g/mL (approx.)

Solubility in Water Dispersible Partition Coefficient: n-octanol/water See section 12 **Auto ignition Temperature** Not applicable No data available **Decomposition Temperature** No data available **Kinematic Viscosity**

10: Stability and Reactivity

Stable under normal conditions Stability

Hazardous Reactions None Expected Incompatibility None Known **Hazardous Decomposition Products** None Known

11: Toxicological Information

This section describes effects which could occur if this material is not handled in accordance with this data sheet and label instructions

Acute Oral Toxicity LD50 > 5000 mg/kg **Acute Dermal Toxicity** LD50 > 5000 mg/kg**Acute Inhalation Toxicity** LD50 > 5 mg/LIrritation Skin Irritant/Corrosive

Page: 3 of 6



Eye Irritant/Corrosive Irritation and serious eye damage

Sensitisation Effects Potential contact sensitiser in susceptible individuals

Mutagenic Effects None **Carcinogenic Effects** None **Reproductive Effects** None

Specific Organ Toxicity May cause organ damage from repeated ingestion at high doses

12: Ecotoxicity Information

This section describes effects which could occur if this material is not handled in accordance with this data sheet and label instructions.

The following information	ı is ı	presented in res	spect of	the active ingredient:

The following information is presented in respect of the active ingredient:				
Ecotoxicity	Desmedipham			
	Acute Oral LD50 (Bobwhite quail) > 2000 mg/kg			
	• LC50 (96 hr) (Rainbow trout) 1.4 mg/l			
	• EC50 (48 hr) (Daphnia) 0.45 mg/l			
	• LC50 (72 hr) (Algae) 0.01 mg/l			
	Very toxic to plant species (herbicide)Non - toxic to bees			
	Phenmedipham			
	Acute Oral LD50 (Bobwhite quail) >2000 mg,	/kg		
	• LC50 (96 hr) (Rainbow trout) 1.7 mg/l			
	• EC50 (48 hr) (Daphnia) 0.41 mg/l			
	• LC50 (96 hr) (Algae) 0.09 mg/l			
	• Very toxic to plant species (herbicide)			
	Non - toxic to bees			
Persistence/degradability	Biodegradable. DT50 (soil) 52 days (typical) (Desmedipham)			
	Biodegradable. DT50 (soil) 12 days (typical) (Phenmed	pham)		
Bioaccumulative Potential	Octanol-water partition coefficient	LogP = 2.7 (moderate) (Desmedipham)		
		LogP = 2.7 (moderate) (Phenmedipham)		
Soil Mobility	Soil organic carbon water partitioning coefficient	Not available (Desmedipham))		
		Koc = 1775 (slightly mobile) (Phenmedipham)		
Environmental Exposure Limit:	None established			

13: Disposal Considerations	
Product	Dispose of product by using it in accordance with the label. Waste product should be disposed of to a
	suitable landfill. For disposal of large quantities contact Orion AgriScience Ltd.
Container	Dispose of to a suitable landfill or via AgRecovery. Do not burn. Do not use packaging for any other
	purpose.

14: Transport Information	
Dangerous Goods	
UN Number	3082
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DESMEDIPHAM 16%, PHENMEDIPHAM
	16%)
Class	9
Subsidiary Class	None
Packing Group	III

Page: 4 of 6



Additional Information MARINE POLLUTANT

MTQ (Non-Commercial) 1000 litres

Passenger Service Vehicle Maximum quantity 1 litre.

-	5 1.	ZAMII	latorv	Intorn	aation
		77 - 4 - 4 - 4 - 4			

EPA Approval No

ACVM Registration No

P9315

Qualified Person

Certified Handler

Workplace Only

HSR101171

Required

Not required

No

Tracking Not required

Record KeepingNot required (unless > 3 L applied within 24 hours, and which is likely to leave the application area)

Site Requirements under EPA Notice

• A hazardous substance location compliance certificate is not required

A hazardous area is not required

• Separation distances for class 3 and class 6 substances to protected places and public places is not applicable

• Fire extinguishers are not required

• Signage is required for more than 100 litres

An emergency response plan is required for more than 100 litres

• Secondary containment is required for more than 100 litres

Segregation from incompatible substances is not required

Application Methods This substance must be applied using ground based methods only

Additional Requirements Refer to NZS 8409:2004 'Management of Agrichemicals', and relevant local and regional council plans

16: Other Information

and HSWHS Regs:

ADE	Acceptable Daily Exposure – A daily dose, received via any route, below which no adverse effects are

ACVM Agricultural Compounds and Veterinary Medicines group of the Ministry of Primary Industries

expected over a lifetime of exposure

Cat. GHS category

CeilingA concentration that should not be exceeded at any time during any part of the working day

Certified HandlerA qualification issued by a Compliance Certifier to handle and use particularly toxic substances (6.1A and

6.1B)

DT50 Time (days) for 50% reduction in concentration

EC50 Concentration required to produce an effect in 50% of organisms

Environmental Exposure Limit Maximum concentration limit of a substance in an environmental medium, e.g., water, soil.

EPA Notice Hazardous Property Controls Notice 2017

ERP Guide Dangerous Goods – Initial Emergency Response Guide SNZ HB 76:2008

GHS Globally harmonized system of classification and labelling of chemicals

Hazardous Substance Location For locations storing hazard substances of certain classes above threshold quantities

Compliance Certificate

Hazardous Area A designated area designed for the presence of flammable substances - Refer AS/NZS 60079.10.1:2009

HAZCHEM Code Emergency action code for emergency services

HSWHS Regs Health and Safety at Work (Hazardous Substances) Regulations 2017

LC50 Concentration that will kill 50% of organisms

LD50 Dose that will kill 50% or organisms

MTQ Maximum Transport Quantity. The maximum amount of dangerous goods that can be transported by road

Page: 5 of 6



by the user

NotificationAdvance notice given to neighbours and other affected parties, of details of proposed application, and

other details as described

Octanol-Water Partition Coefficient

The partition coefficient of a substance between n-octanol and water, used as the Logarithm base 10

form, as an indicator that a substance may bioaccumulate

PDE Permitted Daily Exposure - A daily dose below which no adverse effects are expected over a lifetime of

exposure

Protected Place Residential properties, schools, hospitals, kindys, factories, shops, warehouses, etc., and other places where

people assemble

Public Place A place frequented by the public, including roads (does not include private property)

Qualified Person A requirement for the loader, contractor or person applying the product to hold a qualification such as a

GROWSAFE Certificate, Unit Standard 21563, etc.

Record Keeping Includes a spray diary or other record of application

REI Restricted Entry Interval – The length of time after application before entry into the treated area is

permitted without the use of protective equipment. For indoor environments, this time period commences

once ventilation after treatment begins.

Segregation Certain classes of substances must not be in contact with, and must be stored separately from, certain

other classes as specified in HSWHS Regs

Separation Distances The distances specified in Part 11 and Part 13 of HSWHS Regs between storage and/or use of hazardous

substances and protected places and/or public places

Signage Positioned at entrances to commercial premises providing information on the hazardous substances

oresent

Soil Adsorption Coefficient (Kd) The ratio of the concentrations of a substance adsorbed onto a solid sorbent to that dissolved in a liquid

phase. The higher the value the less mobile the chemical is in soil

Soil Organic Carbon-WaterThe ratio of the mass of a chemical that is adsorbed in the soil per unit mass of organic carbon in the soil.

Partitioning Coefficient (Koc)

The higher the value the less mobile the chemical is in soil

STEL

Short term exposure level – 15 minute time weighted average

Tolerable Exposure Limit

Maximum concentration limit of a substance above which persons must not be exposed

Tracking For some particularly hazardous substances, a record must be kept of the transport, storage, sale and use

of the product

TWA Time weighted average calculated over an 8 hour working day

Workplace Exposure Standard An occupational health standard limiting concentrations of specified substances to which persons are

xposed

Workplace Only

A product that is restricted to a workplace only and under the supervision of a certified handler

Please Note

Users must ensure that the most up to date version of this safety data sheet is used.

This Safety Data Sheet summarises information on this product, and how to safely handle and use the product. Each user should familiarise themselves with the product label and Safety Data Sheet, and consider the information in the context of how the product will be handled and used, including in conjunction with other products. Orion AgriScience Ltd assumes no responsibility for the accuracy, completeness or suitability of this information. The user is responsible for determining the suitability and accuracy of this information for their particular purposes.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.